

A CHECKLIST OF HEPATICAE AND ANTHOCEROTAE OF MALAYSIA

MIN S. CHUAH-PETIOT

Abstract. The checklist gives 764 species and infra-specific taxa, 127 genera and 39 families reported for Malaysia, comprising 38 families, 122 genera and 758 taxa for Hepaticae, and also 6 taxa belonging to 5 genera and 1 family for Anthocerotae. The families with the largest number of species are Lejeuneaceae (282 taxa), Lepidoziaceae (110), Frullaniaceae (67), Plagiochilaceae (52), Geocalycaceae (36), Lophoziaceae and Radulaceae (35 taxa each). The genera with large numbers of species include *Cololejeunea* (84 taxa), *Frullania* (67), *Bazzania* (53), *Plagiochila* (47) and *Radula* (35). Brief information on the distribution of known Hepaticae and Anthocerotae in Malaysia is provided.

Key words: Bryophyta, hornworts, liverworts, checklist, distribution, Malaysia

Min S. Chuah-Petiot, School of Biological Sciences, Universiti Sains Malaysia, 11800USM, Penang, Malaysia;
e-mail: mptetiot50@gmail.com

INTRODUCTION

The Federation of Malaysia comprises 13 states (11 states in Peninsular Malaysia) and 2 states in Malaysian Borneo (Sabah and Sarawak) on the island of Borneo. Peninsular Malaysia covers an area of 131,588 sq. km, while East Malaysia covers 198,170 sq. km.

Malaysia has a tropical climate. Average temperature ranges from 21°C to 32°C, and annual rainfall from 2000 mm to 3500 mm (Bintulu, Sarawak).

The vegetation is diverse, consisting of swampy mangroves, extensive river floodplains, dipterocarp forests and montane forests, and even altimontane communities on Mt. Kinabalu in Sabah above 3300 m a.s.l., with average temperature from 6°C to 10°C.

METHODOLOGY

A checklist was compiled for mosses and published by Mohamed and Tan (1988); it covered Peninsular Malaya and Singapore. A revised catalogue of mosses reported for Borneo was published by Suleiman *et al.* (2006). For the liverworts and hornworts of Borneo an annotated catalogue was published by Menzel (1988). A lot of bryological work in the region has been done, mainly by local muscologists and visiting bryologists, and ad-

ditional data are now available. The present checklist covers the Hepaticae and Anthocerotae of political Malaysia, that is, Peninsular Malaysia (including the islands of Langkawi, Penang, Pangkor and Tioman) and the two states of Sarawak and Sabah in East Malaysia. This checklist aims to bring together the recent data available for Peninsular and East Malaysia. It is based on the publications for liverworts and hornworts, and is compiled for the first time. The taxa are arranged in alphabetical order. For each taxon, brief information on its distribution in Malaysia is provided. The list of publications used in producing the present checklist is given in the references.

RESULTS AND DISCUSSION

Generally, the mosses of Malaysia are well collected and studied owing to the work of several local muscologists and their collaborators. Liverworts and hornworts are generally under-collected and insufficiently studied in Malaysia.

So far, 764 species and infraspecific taxa, 127 genera and 39 families of Anthocerotae and Hepaticae are reported for Malaysia, comprising 6 taxa belonging to 1 family and 5 genera for hornworts, and 38 families, 122 genera and 758 taxa for liverworts. The families with the largest

Table 1. Number of recorded species of Hepaticae per state.

State	Species number
1. Perlis	0*
2. Kedah	49*
3. Penang	59*
4. Perak	32*
5. Kelantan	2*
6. Trengganu	2*
7. Pahang	196
8. Selangor	22*
9. Negri Sembilan	42*
10. Malacca	51
11. Johore	28*
12. Sabah	516
13. Sarawak	170

number of species are Lejeuneaceae (282), Lepidoziaceae (110), Frullaniaceae (67), Plagiochilaceae (52), Geocalycaceae (36), Lophoziaceae and Radulaceae (35 taxa each), Jungermanniaceae (20), Aneuraceae (17) and Cephaloziaceae (14). The genera with large numbers of species include *Cololejeunea* (84), *Frullania* (67), *Bazzania* (53), *Plagiochila* (47), *Radula* (35), *Drepanolejeunea* (31), *Lejeunea* (27), *Lepidozia* and *Cheilolejeunea* (21 taxa each), and *Acromastigum* (18). A complete synopsis of families and genera for Anthocerotae and Hepaticae is provided in the APPENDIX.

Three states, Pahang, Sarawak and Sabah, stand out as bryologically well explored owing to the presence of the Cameron Highlands (a popular hill resort) and Mt. Kinabalu (the highest mountain in Southeast Asia). Further fieldwork is needed in the remaining states (asterisked in Table 1) in order to produce a complete picture of the flora and biodiversity of liverworts and hornworts for Malaysia.

ANTHOCEROTOPHYTA

Anthocerotaceae

Anthoceros formosae Steph.

DISTRIBUTION IN MALAYSIA: Kedah, Langkawi (Tixier 1971; Zhu & So 1997).

Anthoceros glandulosus Lehm. & Lindenb.

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971), Sarawak (Meijer 1957).

Dendroceros cavernosus Hasegawa

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Folioceros glandulosus (Lehm. & Lindenb.) Bhardwaj

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Piippo *et al.* 2002), Sarawak (Menzel 1988).

Megaceros flagellaris (Mitt.) Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Phaeoceros carolinianus (Michx.) Prosk.

DISTRIBUTION IN MALAYSIA: Perak (Johnson 1958).

MARCHANTIOPHYTA

Haplomitriaceae

Haplomitrium blumei (Nees) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Grolle 1993).

Treubiaceae

Treubia insignis Goebel subsp. *insignis*

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

Lepicoleaceae

Lepicolea lorianae Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, 1968b; Kitagawa 1978).

Lepicolea yakusimensis (Hatt.) Hatt.

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Inoue 1967a; Hattori 1968; Kitagawa 1978; Akiyama *et al.* 2001).

Mastigophora diclados (Brid. ex Web.) Nees var. *diclados*

DISTRIBUTION IN MALAYSIA: Kedah, Pahang,

Penang (Hattori 1942b; Johnson 1958; Inoue & Miller 1965; Inoue 1967a, 1968b; Tixier 1971), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Mastigophora diclados var. ***borneensis*** (De Not.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Mastigophora diclados var. ***ramentifissa*** Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Mastigophora diclados var. ***villosa*** Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Herbertaceae

Herbertus armitanus (Bosch & Sande Lac.) He

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

Herbertus circinatus (Steph.) H. A. Miller

DISTRIBUTION IN MALAYSIA: Sabah (Frahm *et al.* 1990).

Herberus dicranus (Tayl.) Trevis

DISTRIBUTION IN MALAYSIA: Sabah (Frahm *et al.* 1990).

Herbertus longifissus Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Frahm *et al.* 1990).

Herbertus pilifer Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Frahm *et al.* 1990).

Pseudolepicoleaceae

Blepharostoma trichophyllum (L.) Dumort.

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

Pseudolepicolea trollii (Herz.) Grolle

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Temnoma setigerum (Lindenb.) R. M. Schust.
var. ***setigerum***

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Trichocoleaceae

Trichocolea merillana Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

Trichocolea obconica Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, 1968b; Inoue & Miller 1968).

Trichocolea tomentella Huds.

DISTRIBUTION IN MALAYSIA: Pahang (Johnson 1967), Kedah, Penang, Sabah (Inoue 1965; Inoue & Miller 1965; Kitagawa 1971, 1973; Tixier 1974; Akiyama *et al.* 2001), Sarawak (Menzel 1988).

Lepidoziaceae

Acromastigum aurescens A. Evans

DISTRIBUTION IN MALAYSIA: Johore (Evans 1934; Grolle 1978).

Acromastigum bancanum (Lac.) A. Evans

DISTRIBUTION IN MALAYSIA: Malacca (Grolle 1978), Johore, Sarawak, Sabah (Evans 1934; Menzel 1988).

Acromastigum bidenticulatum A. Evans

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974), Sarawak (Menzel 1988).

Acromastigum bifidum (Steph.) A. Evans

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Acromastigum brotheri (Steph.) A. Evans

DISTRIBUTION IN MALAYSIA: Sarawak, Sabah (Evans 1934; Menzel 1988).

Acromastigum curtilobum (Schiffn.) A. Evans

DISTRIBUTION IN MALAYSIA: Sabah (Evans 1934; Menzel 1988; Frahm *et al.* 1990).

Acromastigum divaricatum (Gottsche, Lindenb. & Nees) A. Evans

DISTRIBUTION IN MALAYSIA: Johore, Malacca (Evans 1934; Hattori 1942c; Grolle 1978; Mizutani & Chang 1986), Sabah (Menzel 1988).

Acromastigum denticulatum A. Evans

DISTRIBUTION IN MALAYSIA: Sarawak (Evans 1934).

Acromastigum echinatiforme (De Not.) A. Evans

DISTRIBUTION IN MALAYSIA: Sarawak, Sabah (Menzel 1988; Frahm *et al.* 1990).

Acromastigum echinatum (Gottsche) A. Evans

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974; Grolle 1978; Enroth 1991), Johore (Evans 1934).

Acromastigum fimbriatum (Steph.) A. Evans

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988; Frahm *et al.* 1990).

Acromastigum herzogii Grolle

DISTRIBUTION IN MALAYSIA: Sarawak (Grolle 1964).

Acromastigum inaequilaterum (Lehm. & Lindenb.) A. Evans

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Penang (Kitagawa 1969c; Wolseley *et al.* 1996; Piippo *et al.* 2002), Perak, Johore, Sarawak (Evans 1934), Sabah (Evans 1934; Menzel 1988; Frahm *et al.* 1990).

Acromastigum laevigatum Mitt. ex A. Evans

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974), Sarawak (Evans 1934), Sabah (Menzel 1988; Frahm *et al.* 1990).

Acromastigum leptophyllum Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Acromastigum linganum (De Not.) A. Evans

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988; Frahm *et al.* 1990).

Acromastigum lobuliferum A. Evans

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Acromastigum obliquatum (Mitt. ex Steph.) A. Evans

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania borneensis N. Kitag.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania calcarata (Sande Lac.) Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971; Kitagawa 1979a).

Bazzania caudata (Steph.) Herz.

DISTRIBUTION IN MALAYSIA: Pahang, Penang (Tixier 1971), Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania cincinnata (De Not.) Trevis.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania commutata (Lindenb. & Gottsche) Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

Bazzania confertifolia (Steph.) Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania conophylla (Sande Lac.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania coreana (Steph.) Hatt.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania densa (Sande Lac.) Schiffn.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Kitagawa 1973), Penang (Kitagawa 1971), Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania diminuta Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania distans (Nees) Trevis.

DISTRIBUTION IN MALAYSIA: Pahang (Johnson 1967).

Bazzania drepanophylla Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania dulitensis Herz.

DISTRIBUTION IN MALAYSIA: Sarawak, Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania erosa (Reinw. *et al.*) Trevis.

DISTRIBUTION IN MALAYSIA: Sarawak, Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania fallax (Sande Lac.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania fleischeri (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania friabilis N. Kitag. & Kodama

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania grandiretis (Steph.) Herz.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania harpago (De Not.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak, Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania herzogiana Meijer

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania horridula Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania indica (Gottsche & Lindenb.) Trevis.

DISTRIBUTION IN MALAYSIA: Sabah (Frahm *et al.* 1990).

Bazzania inaequitexta Steph.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania insignis (De Not.) Trevis.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Frahm *et al.* 1990).

Bazzania intermedia (Gottsche & Lindenb.) Trevis.

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1969c), Sarawak, Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania intermedia var. *sarawakiana* (De Not.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania involutiformis (De Not.) Trevis.

DISTRIBUTION IN MALAYSIA: Sarawak, Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania kokawana N. Kitag. & Kodama

DISTRIBUTION IN MALAYSIA: Sarawak, Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania linearis Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Bazzania longicaulis (Sande Lac.) Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang (Johnson 1967; Kitagawa 1977), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Bazzania loricata (Reinw., Blume & Nees) Trevis.

DISTRIBUTION IN MALAYSIA: Pahang, Malacca (Inoue 1967a, 1968b; Kitagawa 1967a, 1978, 1980), Sarawak (Menzel 1988).

Bazzania lowii (Sande Lac. ex Steph.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Bazzania malaccensis* (Steph.) Tixier**

DISTRIBUTION IN MALAYSIA: Kedah, Pahang, Perak (Tixier 1971, 1974).

***Bazzania manillana* (Gottsche) Hatt.**

DISTRIBUTION IN MALAYSIA: Penang (Mizutani 1967).

***Bazzania marginella* (Herz.) N. Kitag. & Kodama**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Bazzania paradoxa* (Sande Lac.) Steph.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Kitagawa 1967a; Piippo *et al.* 2002).

***Bazzania parvitexta* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Bazzania patentistipa* (Sande Lac.) Schiffn.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Bazzania pectinata* (Lindenb. & Gottsche) Schiffn.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Bazzania praerupta* (Reinw. *et al.*) Trevis.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Bazzania pseudovittata* N. Kitag. & Kodama**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Bazzania recurva* (Mont.) Trevis.**

DISTRIBUTION IN MALAYSIA: Pahang, Penang (Inoue 1968b; Kitagawa 1978; Piippo *et al.* 2002), Sarawak (Menzel 1988).

***Bazzania serpentina* (Reinw. *et al.*) Trevis.**

DISTRIBUTION IN MALAYSIA: Sabah (Frahm *et al.* 1990).

***Bazzania serrulata* (Mitt.) Herz.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Bazzania spiralis* (Reinw., Blume & Nees) Meijer**

DISTRIBUTION IN MALAYSIA: Kedah, Pahang (Kitagawa 1967a, 1978; Tixier 1971, 1974), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Bazzania stonii* Inoue**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1968b).

***Bazzania subhyalina* Steph.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Bazzania subtilis* (Sande Lac.) Trey.**

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Wolseley *et al.* 1996), Sarawak, Sabah (Menzel 1988; Frahm *et al.* 1990).

***Bazzania tridens* (Reinw., Blume & Nees) Trevis.**

DISTRIBUTION IN MALAYSIA: Pahang, Penang, Peninsular Malaysia (Kitagawa 1969c, 1972; Tixier 1971; Inoue 1981; Juslén *et al.* 2001; Piippo *et al.* 2002), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Bazzania uncigera* (Reinw. *et al.*) Trevis.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Bazzania undulata* Herz.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Bazzania vittata* (Gottsche) Trevis.**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Bazzania zollingeri* (Lindenb. *in* Meissn.) Trevis.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Hygrolembidium boschianum* (Sande Lac.) R. M. Schust.**

DISTRIBUTION IN MALAYSIA: Malacca (Grolle 1967).

***Kurzia abbreviata* Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Kurzia abietinella* (Herz.) Grolle**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Kurzia borneensis* Mitt.**

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

***Kurzia geniculata* Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Kurzia gonyotricha* (Sande Lac.) Grolle**

DISTRIBUTION IN MALAYSIA: Penang, Malacca, Sabah (Kitagawa 1969c, 1978; Mizutani 1974a, b, 1976b; Mizutani & Chang 1986; Piippo 1986a; Akiyama *et al.* 2001; Piippo *et al.* 2002), Sarawak (Menzel 1988).

***Kurzia lineariloba* Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lepidozia ambigua* De Not.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Lepidozia borneensis* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lepidozia cladorhiza* (Reinw. *et al.*) Gottsche *et al.

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

***Lepidozia everettii* Steph.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Lepidozia fauriana* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lepidozia ferdinandi-muelleri* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lepidozia haskarliana* (Lindenb.) Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lepidozia holoriza* Nees**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1968b; Kitagawa 1978), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lepidozia kinabaluensis* Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lepidozia lacerifolia* Steph.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Lepidozia mamillosa* Schiffn.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lepidozia miqueliana* Sande Lac.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Lepidozia ophiria* Gottsche ex Steph.**

DISTRIBUTION IN MALAYSIA: Malacca (Mizutani 1974b, 1976b), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lepidozia papulosa* Steph.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lepidozia reptans* (L.) Dumort.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lepidozia richardsii* Herz.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Lepidozia squamifolia* Steph.**

DISTRIBUTION IN MALAYSIA: Sarawak, Sabah (Menzel 1988).

Lepidozia subintegra* Lindenb. *in* Gottsche *et al.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Lepidozia supradecomposita Lindenb.

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

Lepidozia variifolia Steph.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Lepidozia trichodes (Reinw. *ex* Blume & Nees) Gottsche

DISTRIBUTION IN MALAYSIA: Pahang, Penang (Inoue 1967a; Mizutani 1968, 1974b), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Mastigopelma pulvinatum (De Not.) Grolle

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Psiloclada clandestina Mitt.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Akiyama *et al.* 2001).

Telaranea longitudinalis (Herz.) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988; Engel & Merril 2004).

Telaranea major Herz.

DISTRIBUTION IN MALAYSIA: Malacca, Pahang (Johnson 1967; Tixier 1980b; Piippo 1985c; Piippo *et al.* 2002).

Telaranea monocera Mitt. *ex* R. M. Schust.

DISTRIBUTION IN MALAYSIA: Johore (Piippo 1985c; Enroth 1991; Engel & Merril 2004).

Telaranea neesii (Lindenb.) Fulf.

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Inoue 1967a, 1968b; Kitagawa 1978; Akiyama *et al.* 2001; Piippo *et al.* 2002), Sarawak (Menzel 1988).

Telaranea semperiana (Steph.) Del Ros.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990; Engel & Merril 2004).

Telaranea trichocoleoides (Herz.) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990; Engel & Merril 2004).

Telaranea wallichiana (Gottsche) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Penang (Kitagawa 1969c; Wolseley *et al.* 1996; Juslén *et al.* 2001; Piippo *et al.* 2002), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Zoopsis liukiuensis Horik.

DISTRIBUTION IN MALAYSIA: Pahang (Johnson 1967; Tixier 1980b; Grolle & Piippo 1984; Mizutani & Chang 1986).

Zoopsis setigera K. I. Goebel

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Calypogeiaeae***Calypogeia apiculata*** (Steph.) Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Calypogeia arguta Nees & Mont. *ex* Nees

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Hattori 1952a; Kitagawa 1960, 1973, 1978; Wolseley *et al.* 1996; Juslén *et al.* 2001; Piippo *et al.* 2002).

Metacalypogeia alternifolia (Nees) Grolle

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Mnioloma fusca (Lehm.) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Adelanthaceae***Adelanthus borneensis*** Grolle

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Wettsteinia inversa (Sande Lac.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Cephaloziaceae***Cephalozia hamatiloba*** Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1993).

Iwatsukia exigua N. Kitag.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Vaňa 1993).

Metahygrobiella acuminata (Herz.) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sabah, Sarawak (Vaňa 1993).

Metahygrobiella acutiloba Inoue

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, b).

Metahygrobiella mollusca (De Not.) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1993).

Metahygrobiella stolonacea (Herz.) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah, Sarawak (Enroth 1991; Vaňa 1993).

Nowellia borneensis Grolle

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Vaňa 1993; Akiyama *et al.* 2001).

Nowellia curvifolia (Dicks.) Mitt.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1993).

Nowellia langii Pears.

DISTRIBUTION IN MALAYSIA: Perak, Sabah (Vaňa 1993).

Odontoschisma denudatum (Nees) Dumort.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990; Vaňa 1993).

Odontoschisma naviculare (Steph.) Grolle

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1993).

Odontoschisma purpuratum Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Vaňa 1993).

Odontoschisma sphagni (Dicks.) Dumort.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Schiffneria hyalina Steph.

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Grolle & Piippo 1984; Vaňa 1993).

Cephaloziellaceae***Cephaloziella capillaris*** (Steph.) Douin

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a; Inoue & Miller 1967).

Cephaloziella kiaeri (Aust.) Dumort.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Vaňa & Piippo 1989b; Vaňa 1992).

Cephaloziella tagawae N. Kitag.

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1971).

Cephaloziella microphylla (Steph.) N. Kitag.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Kitagawa 1969b, 1979b).

Kymatocalyx rhizomatica (Herzog) Gradst. & Váňa

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Vaňa 1991c).

Jackiellaceae***Jackiella angustifolia*** Herz.

DISTRIBUTION IN MALAYSIA: Sabah, Sarawak (Vaňa 1992).

Jackiella javanica Schiffn.

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1971), Pahang, Malacca, Sabah (Grolle 1967; Inoue 1967a; Piippo 1985a; Vaňa 1992).

Jackiella singapurensis Schiffn.

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1969c, 1979b, 1981; Juslén *et al.* 2001).

Jungermanniaceae***Anomacaulis flaccidus*** (R. M. Schust.) R. M. Schust. & Grolle

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990; Vaňa 1991c).

Jungermannia appressifolia Mitt.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991b).

Jungermannia ariadne Tayl.

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Inoue 1967a; Vaňa 1991b).

Jungermannia boreneensis Amakawa

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991b).

Jungermannia comata Nees

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Inoue 1967a; Vaňa & Piippo 1989a; Vaňa et al. 2005).

Jungermannia grollei Amakawa

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991b).

Jungermannia hasskarliana (Nees) Mitt.

DISTRIBUTION IN MALAYSIA: Perak, Sabah (Grolle 1966; Vaňa 1991b).

Jungermannia herzogiana Váňa

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991b).

Jungermannia obliquifolia (Schiffn.) Váňa

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991b).

Jungermannia polyrhiza Hook. ex Lehm. & Lindenberg

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Hattori 1968).

Jungermannia sphaerocarpa Hook.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991b).

Jungermannia stephanií (Schiffn.) Amakawa

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991b).

Jungermannia stricta (Schiffn.) Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991b).

Jungermannia tetragona Lindenb.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Vaňa 1991b; Vaňa et al. 2005).

Jungermannia truncata Nees

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Ohashi 1975; Vaňa 1991b; Juslén et al. 2001; Vaňa et al. 2005).

Jungermannia tuberculifera (Herz.) Váňa

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991b).

Jungermannia virgata (Mitt.) Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991b).

Nardia assamica (Mitt.) Amakawa

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991b).

Notoscyphus lutescens (Lehm.) Mitt.

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Inoue 1967a; Vaňa 1991b).

Notoscyphus paroicus Schiffn.

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1969c, 1978), Sabah (Menzel 1988; Frahm et al. 1990).

Lophoziaeae***Anastrophyllum assimile*** (Mitt.) Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Anastrophyllum auritum (Lehm.) Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Anastrophyllum bidens (Reinw., Blume & Nees) Steph.

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Inoue 1967a, 1968b; Kitagawa 1970; Ohashi 1975; Vaňa & Piippo 1989b; Vaňa 1991c).

Anastrophyllum bidens var. ***aristatum*** Herz. ex N. Kitag.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Anastrophyllum borneense Herz.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Kitagawa 1970; Vaňa 1991c).

Anastrophyllum divergens Herz.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Anastrophyllum malayense Inoue

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, b, 1968b).

Anastrophyllum minutum (Schreb. *in* Cranz) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Anastrophyllum obtusum Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Vaňa 1991c).

Anastrophyllum piligerum (Reinw., Blume & Nees) Steph.

DISTRIBUTION IN MALAYSIA: Pahang, Penang, Sabah. (Vaňa 1991c; Inoue 1967a; Kitagawa 1969c), Sarawak (Menzel 1988).

Anastrophyllum prionophyllum Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Anastrophyllum revolutum Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Anastrophyllum squarrosum Herz.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Andrewsianthus chinbuensis R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Andrewsianthus kinabaluensis N. Kitag.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Andrewsianthus mizutani N. Kitag.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Andrewsianthus papillosum N. Kitag.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Andrewsianthus puniceus (Nees) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Andrewsianthus recurvifolius (Nees) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Chandonanthus filiformis Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cryptochila grandiflora (Lindenb. & Gottsche) Grolle

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Denotarisia linguifolia (De Not.) Grolle

DISTRIBUTION IN MALAYSIA: Pahang, Malacca, Sabah (Inoue 1968b; Grolle 1971; Vaňa & Piippo 1989b; Vaňa 1991c; Akiyama *et al.* 2001).

Gottschelia schizophleura (Spruce) Grolle

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Menzel 1988; Vaňa & Piippo 1989b; Frahm *et al.* 1990; Vaňa 1991c).

Jamesoniella contracta (Reinw., Blume & Nees) N. Kitag.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Jamesoniella autumnalis (DC.) Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

Jamesoniella flexicaulis (Nees) Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang, Malacca, Sabah (Inoue 1967a; Inoue & Miller 1968; Grolle 1971; Vaňa & Piippo 1989b; Vaňa 1991c).

Jamesoniella microphylla (Nees) Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a).

Jamesoniella nipponica Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Plicanthes hirtellus (F. Weber) Mitt.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c; Akiyama *et al.* 2001).

Sphenolobopsis pearsonii (Spruce)

R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Syzygiella securifolia (Nees) Inoue

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Vaňa 1991c).

Syzygiella subintegerrima (Reinw. *et al.*) Spruce

DISTRIBUTION IN MALAYSIA: Pahang, Malacca, Sabah (Inoue 1966, 1967a, 1968a, b; Grolle 1967; Vaňa & Piippo 1989b; Enroth 1991; Vaňa 1991c).

Syzygiella variegata (Lindenb.) Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, 1968b).

Tetralophozia filiformis (Steph.) Urmi

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Tritomaria exsecta (Schrad.) Schiffn. *ex* Loeske

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991c).

Gymnomitriaceae***Apomarsupella revoluta*** (Nees) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991a; Akiyama *et al.* 2001; Vaňa *et al.* 2010).

Gymnomitrium incomplectum (Gottsche) R. M. Schust. *ex* Vaňa

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991a; Vaňa *et al.* 2010).

Gymnomitrium subintegrum (S. W. Arnell) Vaňa

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa *et al.* 2010).

Marsupella emarginata (Ehrh.) Dumort.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991a; Vaňa *et al.* 2010).

Marsupella stoloniformis N. Kitag.

DISTRIBUTION IN MALAYSIA: Sabah (Vaňa 1991a; Vaňa *et al.* 2010).

Scapaniaceae***Scapania lepida*** Mitt.

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

Scapania ornithopodioides (With.) Waddel.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Geocalycaceae***Chiloscyphus acutangulus*** Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1968b).

Chiloscyphus argutus (Reinw. Nees & Blume) Nees

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

Chiloscyphus ceylanicus Steph. *ex* Tixier

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974).

Chiloscyphus ciliolatus (Nees) J. J. Engel & R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1989a).

Chiloscyphus communis Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, 1968b; Tixier 1971).

Chiloscyphus costatus (Nees) J. J. Engel & R. M. Schust.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Piippo 1989a).

Chiloscyphus flaccidens Steph.

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974).

***Chiloscyphus iwatsukii* (Hatt.) Grolle**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Chiloscyphus kurzii* (Lac) J. J. Engel & R. M. Schust.**

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1989a).

***Chiloscyphus latifolius* (Nees) J. J. Engel & R. M. Schust.**

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1989a).

***Chiloscyphus muricatus* (Lehm.) J. J. Engel & R. M. Schust.**

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1989a).

***Chiloscyphus paroicus* J. J. Engel & R. M. Schust.**

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1989a).

***Chiloscyphus sikkimensis* (Steph.) J. J. Engel & R. M. Schust.**

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1989a).

***Chiloscyphus steetziae* (De Not.) J. J. Engel & R. M. Schust.**

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1989a).

***Chiloscyphus succulentus* Gottsche**

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1973).

***Conoscyphus trapezoides* (Sande Lac.) Schiffn.**

DISTRIBUTION IN MALAYSIA: Pahang, Malacca, Sabah (Grolle 1965; Inoue 1967a; Kitagawa 1979b; Piippo 1985b, 1989a).

***Heteroscyphus argutus* (Reinw. *et al.*) Schiffn.**

DISTRIBUTION IN MALAYSIA: Penang, Negeri Sembilan, Sabah (Kitagawa 1969c; Inoue 1981; Piippo 1985b, 1989a; Wolseley *et al.* 1996; Juslén *et al.* 2001; Piippo *et al.* 2002).

***Heteroscyphus aselliformis* (Reinw. *et al.*) Schiffn.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Piippo 1985b), Pahang (Inoue 1967a; Kitagawa 1979b), Sabah (Menzel 1988; Piippo 1989a; Frahm *et al.* 1990).

***Heteroscyphus balnetii* (Herz.) Grolle & Piippo**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Piippo 1985b, 1989a; Enroth 1991).

***Heteroscyphus communis* (Steph.) Schiffn.**

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1971).

***Heteroscyphus coalitus* (Hook.) Schiffn.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Piippo 1989a).

***Heteroscyphus diestianus* (Sande Lac.) Piippo**

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1989a; Akiyama *et al.* 2001).

***Heteroscyphus iwatsukii* (Hatt.) Piippo**

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1989a).

***Heteroscyphus parvulus* (Schiffn.) Schiffn.**

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1989a).

***Heteroscyphus splendens* (Lehm. & Lindenb.) Grolle**

DISTRIBUTION IN MALAYSIA: Kedah, Pahang, Penang, Sabah (Inoue 1967a, 1968b; Kitagawa 1969c, 1979b; Tixier 1974; Piippo 1989a; Akiyama *et al.* 2001).

***Heteroscyphus succulentus* (Gottsche) Schiffn.**

DISTRIBUTION IN MALAYSIA: Malacca, Sabah (Piippo 1985b, 1989a).

***Heteroscyphus wettsteinii* (Schiffn.) Schiffn.**

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1989a).

***Heteroscyphus zollingeri* (Gottsche) Schiffn.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Hattori 1952a; Piippo 1985b, 1989a; Juslén *et al.* 2001).

***Lophocolea ciliolata* (Nees) Gottsche**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, 1968b; Kitagawa 1979b).

***Lophocolea costata* (Nees) Gottsche**

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Inoue 1967a; Kitagawa 1973; Piippo 1985b; Akiyama *et al.* 2001).

***Lophocolea mollis* (Nees) Gotts., Lindenb.
& Nees**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a).

***Saccogynidium goebelii* (Herz.) Grolle**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, 1968b; Piippo 1986a).

***Saccogynidium iwatsukii* Hatt.**

DISTRIBUTION IN MALAYSIA: Sabah (Hattori 1964).

***Saccogynidium jugatum* (Mitt.) Grolle**

DISTRIBUTION IN MALAYSIA: Malacca (Grolle 1965).

***Saccogynidium muricellum* (De Not.) Grolle**

DISTRIBUTION IN MALAYSIA: Malacca, Sabah (Piippo 1985b, 1989a; Enroth 1991).

***Saccogynidium rigidulum* (Nees) Grolle**

DISTRIBUTION IN MALAYSIA: Perak, Pahang, Malacca, Sabah (Grolle 1960, 1965; Inoue 1967a; Piippo 1985b, 1989a; Enroth 1991), Sarawak (Menzel 1988).

Arnelliaceae***Southbya grollei* N. Kitag.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Plagiophilaceae***Chiastocaulon dendroides* (Nees) Lindenb.**

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Inoue 1967a, 1968b, 1984, 1989; Piippo 1989b; Akiyama *et al.* 2001).

***Plagiochila abietina* (Nees) Mont.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Plagiochila accedens* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Plagiochila arbuscula* (Brid. ex Lehm. & Lindenb.) Lindenb.**

DISTRIBUTION IN MALAYSIA: Pahang, Trengganu, Sabah (Inoue 1982, 1984, 1989; Menzel 1988; Frahm *et al.* 1990).

***Plagiochila bantamensis* (Reinw., Blume & Nees) Dumort.**

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Pahang, Sabah (Inoue 1984, 1989; Wolseley *et al.* 1996; Juslén *et al.* 2001; Piippo *et al.* 2002), Sarawak (Menzel 1988).

***Plagiochila blepharophora* (Nees) Lindenb.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Inoue 1989).

***Plagiochila borneensis* Steph.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Plagiochila cameronensis* Inoue**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1968b, 1969a, 1984).

***Plagiochila clavato-saccata* Steph.**

DISTRIBUTION IN MALAYSIA: Perak (Inoue 1984), Sabah (Menzel 1988).

***Plagiochila denigrata* Inoue**

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

***Plagiochila dendroides* (Nees) Lindenb.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Plagiochila densifolia* Sande Lac.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Plagiochila estipulata Steph.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Plagiochila frondescens (Nees) Lindenb.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Pahang, Sabah (Inoue 1967a, 1984, 1989).

Plagiochila gymnoclada Sande Lac.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Inoue 1979, 1982, 1989).

Plagiochila hampeana Gottsche

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochiola hottae Inoue

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Plagiochila infirma Sande Lac.

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila integrilobula Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila javanica (Swartz) Dumort.

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila junghuhniana Sande Lac.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Plagiochila korthalsiana Molk.

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila kuhliana Sande Lac.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Plagiochila kurzii Steph.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Wolseley *et al.* 1996). Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Plagiochila laxissima Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Inoue 1989).

Plagiochila lobulata Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a; Hattori 1968).

Plagiochila massalongoana Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1984), Sabah (Menzel 1988; Frahm *et al.* 1990).

Plagiochila microdonta Mitt.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Inoue 1982).

Plagiochila mutabilis De Not.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Plagiochila neutiana Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1974).

Plagiochila nitens Inoue

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila nobilis Gottsche

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila obtusa Lindenb.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1968b).

Plagiochila opposita (Reinwart, Blume & Nees) Lindenb.

DISTRIBUTION IN MALAYSIA: Perak (Hattori 1942a).

Plagiochila peculiaris Schiffn.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sarawak (Menzel 1988), Sabah (Inoue 1972, 1989).

Plagiochila philippinensis Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila propinqua Sande Lac.

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989), Sarawak (Menzel 1988).

Plagiochila renitens (Nees) Lindenb.

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Inoue 1967a, 1989; Piippo 1989b).

Plagiochila sandei Dozy

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Inoue 1989).

Plagiochila sandei fo. ***remotidens*** Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Plagiochila sciophila Nees

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Inoue 1989).

Plagiochila singularis Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila spathulifolia Mitt.

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila sumatrana Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila teysmannii Sande Lac.

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila trapezoidea Lindenb.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Inoue 1989; Piippo 1989b).

Plagiochila tsutomui Inoue

DISTRIBUTION IN MALAYSIA: Sabah (Inoue 1989).

Plagiochila ungaranga Sande Lac.

DISTRIBUTION IN MALAYSIA: Perak (Inoue 1984).

Plagiochilion braunianum (Nees) Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama et al. 2001).

Plagiochilon oppositum (Reinw., Blume & Nees) S. Hatt.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a), Sabah (Menzel 1988; Frahm et al. 1990).

Plagiochilion pachycephalum (De Not.) Inoue

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Plagiochilion theriotianum (Steph.) Inoue

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Acrobolbaceae***Acrobolbus ciliatus*** (Mitt.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm et al. 1990).

Tylimanthus saccatus (Hook.) Mitt. ex Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm et al. 1990).

Schistochilaceae***Schistochila acuminata*** Steph.

DISTRIBUTION IN MALAYSIA: Perak, Pahang, Sarawak, Sabah (Hattori 1964; Frahm et al. 1990; So 2003b).

Schistochila aligera (Nees & Blume) J. B. Jack & Steph.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Inoue 1985), Johore, Pahang, Penang, Selangor, Sarawak (Menzel 1988), Sabah (Hattori 1964; Kitagawa 1969c, 1973; Inoue 1985; Menzel 1988; Frahm et al. 1990; So 2003b).

Schistochila beccariana (De Not.) Trevis.

DISTRIBUTION IN MALAYSIA: Malay Peninsula, Pahang, Sarawak, Sabah (Hattori 1964; Menzel 1988).

Schistochila blumei (Nees) Trevis.

DISTRIBUTION IN MALAYSIA: Pahang, Malacca (Inoue 1967a; Kitagawa 1978; So 2003b), Sabah (Hattori 1964; Menzel 1988; Frahm *et al.* 1990).

Schistochila doriae (De Not) Trevis.

DISTRIBUTION IN MALAYSIA: Pahang (So 2003b), Sarawak (Menzel 1988), Sabah (Hattori 1964).

Schistochila reinwardtii (Nees) Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Hattori 1964).

Schistochila sciurea (Nees) Schiff.

DISTRIBUTION IN MALAYSIA: Perak, Pahang (Inoue 1967a, 1968b; Hattori 1968; Kitagawa 1978; So 2003b), Selangor, Sarawak, Sabah (Hattori 1964; Menzel 1988; Frahm *et al.* 1990).

Balantiopsaceae

Balantiopsis ciliaris Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Hattori 1966; Menzel 1988; Frahm *et al.* 1990).

Isotachis japonica Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, 1968b).

Pleuroziaceae

Eopleurozia simplicissima (Herz.) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988; Frahm *et al.* 1990).

Pleurozia acinosa (Mitt.) Trevis.

DISTRIBUTION IN MALAYSIA: Pahang, Selangor (Inoue 1967a, 1969b; Kitagawa 1979b; Thiers 1993), Sarawak (Menzel 1988).

Pleurozia conchifolia (Hook. & Arn.) Lindb.

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

Pleurozia gigantea (Web.) Lindb.

DISTRIBUTION IN MALAYSIA: Kedah, Malacca, Pahang, Selangor, Sabah (Grolle 1965; Inoue

1967a, 1968b; Tixier 1974; Thiers 1993; Akiyama *et al.* 2001).

Pleurozia gigantea var. ***borneensis*** (De Not.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Pleurozia johannis-winkleri Herz.

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

Radulaceae

Radula acuminata Steph.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Selangor, Sabah (Yamada 1979, 1989; Yamada & Piippo 1989; Wolseley *et al.* 1996), Sabah (Menzel 1988; Frahm *et al.* 1990).

Radula amentulosa Mitt.

DISTRIBUTION IN MALAYSIA: Sabah (Yamada 1989).

Radula amoena Herz.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Menzel 1988; Yamada & Piippo 1989).

Radula anceps Sande Lac.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Sabah (Inoue & Miller 1965; Yamada 1979, 1989; Yamada & Piippo 1989; Wolseley *et al.* 1996; Piippo *et al.* 2002).

Radula apiculata Sande Lac.

DISTRIBUTION IN MALAYSIA: Sabah (Zhu *et al.* 2002).

Radula borneensis Steph.

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Inoue 1967a; Yamada 1989; Piippo *et al.* 2002).

Radula campanigera Mont.

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Inoue & Miller 1965; Kitagawa 1979b; Yamada 1979, 1984, 1989).

Radula cavifolia Hampe

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Yamada 1979, 1989).

Radula ceylanica Yamada

DISTRIBUTION IN MALAYSIA: Pahang (Yamada 1979).

Radula densifolia Castle

DISTRIBUTION IN MALAYSIA: Sabah (Yamada 1989).

Radula formosa (Meissn.) Nees

DISTRIBUTION IN MALAYSIA: Kedah, Pahang, Sabah (Tixier 1974; Yamada 1979, 1989).

Radula gedena Gottsche ex Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Yamada 1989).

Radula iwatsukii Yamada

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Yamada 1989; Yamada & Piippo 1989).

Radula javanica Gottsche

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Selangor, Sabah (Yamada 1979, 1989; Wolseley *et al.* 1996).

Radula kinabaluensis Yamada

DISTRIBUTION IN MALAYSIA: Sabah (Yamada 1989).

Radula lacerata Steph.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Sabah (Yamada 1989; Yamada & Piippo 1989; Wolseley *et al.* 1996).

Radula madagascariensis Gottsche

DISTRIBUTION IN MALAYSIA: Sabah (Yamada 1989).

Radula miqueliania Tayl.

DISTRIBUTION IN MALAYSIA: Kedah, Pahang (Inoue 1968b; Tixier 1974).

Radula mizutani Yamada

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Yamada 1989; Yamada & Piippo 1989).

Radula multiflora Gottsche ex Schiffn.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Yamada 1989; Yamada & Piippo 1989).

Radula novae-guineae Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a).

Radula nymanii Steph.

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Tixier 1971, 1980a; Yamada 1989; Yamada & Piippo 1989).

Radula obscura Mitt.

DISTRIBUTION IN MALAYSIA: Sabah (Yamada 1989).

Radula philippinensis Yamada

DISTRIBUTION IN MALAYSIA: Selangor (Yamada 1979).

Radula protensa Lindenb.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Sabah (Yamada 1989; Wolseley *et al.* 1996).

Radula reflexa Nees & Mont.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Yamada & Piippo 1989; Piippo *et al.* 2002).

Radula retroflexa Tayl.

DISTRIBUTION IN MALAYSIA: Trengganu, Sabah (Yamada 1979, 1989; Yamada & Piippo 1989).

Radula retroflexa var. *fauciloba* (Steph.) Yamada

DISTRIBUTION IN MALAYSIA: Selangor (Yamada 1979; Yamada & Piippo 1989).

Radula subpallens Steph.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Sabah (Yamada 1989; Yamada & Piippo 1989).

Radula sumatrana Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Yamada 1989).

***Radula tabularis* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Yamada 1989).

***Radula tjibodensis* Goeb. ex Schiffn.**

DISTRIBUTION IN MALAYSIA: Pahang, Penang, Sabah (Kitagawa 1969c; Yamada 1979, 1989; Yamada & Piippo 1989).

***Radula ventricosa* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Yamada 1989).

***Radula vriesiana* Sande Lac.**

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Sabah (Yamada 1979, 1989; Yamada & Piippo 1989; Wolseley *et al.* 1996).

***Radula yangii* Yamada**

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Yamada 1979, 1989).

Porellaceae***Porella acutifolia* subsp. *latrix* Hatt.**

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1969, 1978a).

***Porella javanica* (Gottsche ex Steph.) Inoue**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a; Hattori 1978a).

Frullaniaceae***Frullania alstonii* Verd.**

DISTRIBUTION IN MALAYSIA: Johore (Hattori 1972, 1974a, 1976; Hattori *et al.* 1977), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania apiculata* (Reinw., Blume & Nees) Dumort.**

DISTRIBUTION IN MALAYSIA: Kedah, Pahang, Selangor (Inoue 1967a, 1968b; Kachroo 1970; Tixier 1974, 1980a; Hattori 1975c; Piippo *et al.* 2002).

Frullania apiculata* var. *apiculata

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania apiculata* var. *goebelii* Schiffn.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania armatifolia* Verd.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania benjaminiiana* Inoue**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, b; Hattori 1975a).

***Frullania berthoumieu* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania brotheri* Steph.**

DISTRIBUTION IN MALAYSIA: Pahang, Selangor (Hattori 1975a, c, 1976, 1980, 1982; Hattori *et al.* 1977; Piippo *et al.* 2002), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania claviloba* Steph.**

DISTRIBUTION IN MALAYSIA: Selangor (Hattori 1975b, c, 1976, 1982; Hattori *et al.* 1977), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania concava* Horik.**

DISTRIBUTION IN MALAYSIA: Malacca (Hattori 1973).

***Frullania clemensiana* Verd.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania ericoides* (Nees ex Mart.) Mont.**

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania ericoides* var. *planescens* (Verd.) Hatt.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Hattori & Lin 1985).

***Frullania fallax* Hatt.**

DISTRIBUTION IN MALAYSIA: Malacca (Hattori 1975c, 1980).

Frullania gaudichaudii (Neet & Mont.) Nees & Mont.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania gracilis (Reinw., Blume & Nees) Dumort.

DISTRIBUTION IN MALAYSIA: Pahang, Malacca (Inoue 1965; Hattori 1974a, 1975a, c, 1976; Hattori *et al.* 1977; Juslén *et al.* 2001; Piippo *et al.* 2002), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania grandistipula Lindenb.

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971; Hattori 1982, 1986b; Hattori & Piippo 1986), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania hasskarliana Lindenb.
var. ***hasskarliana***

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a, 1982, 1986a; Hattori & Piippo 1986), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania hasskarliana
var. ***integribracteata*** (Verd.) Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania hottana Hatt.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Frullania hypoleuca Nees

DISTRIBUTION IN MALAYSIA: Malacca (Hattori 1975c, 1976, 1981, 1982; Hattori & Piippo 1986; Piippo *et al.* 2002), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania integriflora (Nees) Nees

DISTRIBUTION IN MALAYSIA: Kedah, Pahang, Johore (Tixier 1974, 1980a; Hattori 1976, 1980), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania integriflora var. ***emarginata*** Verd.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Hattori 1982).

Frullania intermedia (Reinw., Blume & Nees) Dumort.

DISTRIBUTION IN MALAYSIA: Kelantan, Negeri Sembilan, Penang, Johore (Inoue & Miller 1965; Hattori 1980; Wolseley *et al.* 1996; Piippo *et al.* 2002), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania junghuhniana Gottsche in Gottsche *et al.*

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania junghuhniana var. ***minutissima*** Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a).

Frullania junghuhniana var. ***bisexualis*** Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania meijeri Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Frullania meyeniana Lindenb.

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania minor Sande Lac.

DISTRIBUTION IN MALAYSIA: Selangor (Hattori 1975c), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania mizutanii Kamimura & Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania monocera (Tayl.) Tayl.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania nepalensis (Spreng.) Lehm. & Lindenb.

DISTRIBUTION IN MALAYSIA: Malacca (Inoue 1968a; Kachroo 1970; Hattori 1974a).

Frullania nigricaulis (Reinw., Nees & Blume) Nees

DISTRIBUTION IN MALAYSIA: Pahang, Malacca (Hattori 1974b, 1975a; Hattori *et al.* 1977), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania nodulosa (Reinw., Nees & Blume) Nees

DISTRIBUTION IN MALAYSIA: Pahang, Selangor, Malacca (Hattori 1942c, 1980; Inoue 1968b; Piippo *et al.* 2002), Sarawak, Sabah (Menzel 1988).

Frullania notarisii Steph.

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974), Sabah (Menzel 1988).

Frullania ocellata Kamimura & Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania orientalis Sande Lac.

DISTRIBUTION IN MALAYSIA: Malacca (Hattori 1975c, 1976, 1982; Hattori & Piippo 1986), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania ornithocephala (Reinw., Blume & Nees) Nees

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania ornithocephala var. ***magnilobula*** Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Frullania ornithocephala var. ***retusa*** Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Frullania papillilobula Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Frullania philippinensis Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a).

Frullania picta Steph.

DISTRIBUTION IN MALAYSIA: Kedah, Penang (Kitagawa 1969c; Tixier 1974).

Frullania polyptera Tayl.

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a, 1978b; Hattori *et al.* 1977; Hattori & Lin 1985).

Frullania pullei Verd.

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974).

Frullania pulogensis Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania ramuligera (Nees) Mont.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania recurvistipula Hatt.

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a, 1986b).

Frullania reflexistipula Sande Lac.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania repandistipula Sande Lac.

subsp. ***spinibractea*** Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania sabahana Hatt.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Frullania sarawakensis Hatt.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Frullania serrata Gottsche *in* Gottsche *et al.*

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a), Sabah (Menzel 1988; Frahm *et al.* 1990).

Frullania serrata var. ***crispulo-dentata*** Verd.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Frullania sinuata Sande Lac.

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a, c; Hattori & Piippo 1986).

***Frullania sublignosa* Steph.**

DISTRIBUTION IN MALAYSIA: Malacca (Hattori 1942c, 1975c, 1976, 1982, 1986a; Hattori & Piippo 1986; Piippo *et al.* 2002), Sarawak (Menzel 1988).

***Frullania subnigricaulis* Hatt.**

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a, 1982, 1986a; Hattori & Piippo 1986; Hattori & Streimann 1985), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania tamarisci* subsp. *obscura* (Verd.) Hatt.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Inoue 1981).

***Frullania tamarisci* subsp. *obscura*
var. *breviramea* (Steph.) Hatt.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Frullania ternatensis* Gottsche**

DISTRIBUTION IN MALAYSIA: Kedah, Pahang, Malacca (Tixier 1971, 1974; Hattori 1974a, 1982; Hattori & Streimann 1985; Hattori & Piippo 1986), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania ternatensis* var. *non-appendiculata* Hatt.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Frullania togashiana* Hatt.**

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a).

***Frullania trichodes* Mitt.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Frullania vaginata* (Sw.) Dumort.**

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a).

***Frullania venusta* Hatt.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Frullania wallachiana* Mitt.**

DISTRIBUTION IN MALAYSIA: Pahang (Hattori 1975a).

Jubulaceae***Jubula hutchinsiae* subsp. *javanica* (Steph.) Verd.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Vaňa & Piippo 1989b), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Neohattoria perversa* (Steph.) R. M. Schust.**

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974).

Lejeuneaceae***Acrolejeunea arcuata* (Nees) Grolle & Gradst.**

DISTRIBUTION IN MALAYSIA: Sarawak, Sabah (Menzel 1988; Frahm *et al.* 1990).

***Acrolejeunea aulacophora* (Mont.) Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Acrolejeunea fertilis* (Reinw., Blume & Nees) Spruce ex Steph.**

DISTRIBUTION IN MALAYSIA: Perak, Penang (Kachroo 1970; Gradstein 1975; Piippo *et al.* 2002), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Acrolejeunea pycnoclada* (Tayl.) Schiffn.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Kachroo 1970; Gradstein 1975; Mizutani 1977; Piippo *et al.* 2002), Penang (Kitagawa 1971), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Acrolejeunea tjibodensis* (Verd.) Grolle & Gradst.**

DISTRIBUTION IN MALAYSIA: Pahang (Gradstein 1975; Gradstein *et al.* 2002).

***Aphanotropis saxicola* Herz.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Archilejeunea planiuscula* (Mitt.) Steph.**

DISTRIBUTION IN MALAYSIA: Malacca (Mizutani 1977), Penang (Hattori 1942c), Sarawak

(Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Caudalejeunea recurvistipula (Gottsche) Schiffn.

DISTRIBUTION IN MALAYSIA: Perak, Pahang, Selangor, Johore, Penang (Miller 1968; Kitagawa 1971; Mizutani 1977 1988; Tixier 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cephalolejeunea parvilibula Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Ceratolejeunea aliena Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Ceratolejeunea belangeriana (Gottsche) Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Ceratolejeunea minor Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Frahm *et al.* 1990).

Ceratolejeunea moniliata Herz.

DISTRIBUTION IN MALAYSIA: Johore (Mizutani 1981b), Sarawak (Menzel 1988).

Ceratolejeunea oceanica (Mitt.) Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Mizutani 1981b).

Ceratolejeunea singapurensis (Lindenb.) Steph.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Ceratolejeunea tahitensis Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a).

Cheilolejeunea ceylanica R. M. Schust. & Kachr.

DISTRIBUTION IN MALAYSIA: Kedah, Pahang, Negeri Sembilan, Malacca (Tixier 1971, 1974, 1980a; Mizutani 1978; Wolseley *et al.* 1996), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea decursiva (Sande Lac.) Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea exsicula (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Pahang (Mizutani 1977; Grolle & Piippo 1990), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea falsinervis (Sande Lac.) R. M. Schust. & Kachroo

DISTRIBUTION IN MALAYSIA: Kedah, Negeri Sembilan (Tixier 1974; Wolseley *et al.* 1996), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea gigantea (Steph.) R. M. Schust. & Kachroo

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Cheilolejeunea inaequitexta Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Cheilolejeunea insignis Jovet-Ast & Tixier

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea intertexta (Lindenb.) Steph.

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1971), Peninsular Malaysia (Hattori 1968b; Mizutani 1972, 1975, 1977; Juslén *et al.* 2001; Piippo *et al.* 2002), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea lindenbergii (Gottsche) Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea longiloba (Steph.) Kachr. & R. M. Schust.

DISTRIBUTION IN MALAYSIA: Kedah, Pahang (Tixier 1974, 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea luerssenii (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Pahang, Penang (Inoue 1967a; Kitagawa 1969c).

Cheilolejeunea meyeniana (Gottsche, Lindenb. & Nees) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Kedah, Pahang (Tixier 1971, 1974, 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea mizutanii Grolle

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Wolseley *et al.* 1996).

Cheilolejeunea occlusa (Herz.) Kodama & N. Kitag.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Wolseley *et al.* 1996), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea orientalis (Gottsche) Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea trapezia (Nees) R. M. Schust. & Kachroo

DISTRIBUTION IN MALAYSIA: Pahang (Inoue & Miller 1965; Inoue 1967a; Tixier 1971), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea ventricosa (Schiffn.) X.-L. He

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Zhu & So 1999a; Piippo *et al.* 2002; Zhu *et al.* 2002), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea verrucosa Steph.

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea viridula (Herz.) Mizut.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a).

Cheilolejeunea vittata (Steph. ex Hoffm.) R. M. Schust. & Kachr.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Wolseley *et al.* 1996), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cheilolejeunea xanthocarpa (Lehm. & Lindenb.) Malombe

DISTRIBUTION IN MALAYSIA: Pahang (Kitagawa 1960; Inoue 1967a; Tixier 1971), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea abnormis Mizut.

DISTRIBUTION IN MALAYSIA: Penang, Sabah (Tixier 1985).

Cololejeunea acuminata Mizut.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Wolseley *et al.* 1996), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea affinis (Schiffn.) Zwick.

DISTRIBUTION IN MALAYSIA: Malacca (Kachroo 1970).

Cololejeunea amoena Benedix

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Mizutani 1975), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea angulata (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Penang (Kitagawa 1969c; Wolseley *et al.* 1996), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea angustiflora (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea appressa (A. Evans) Benedix

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea balansae (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Penang, Perak (Tixier 1985).

Cololejeunea chamlongiana Tixier

DISTRIBUTION IN MALAYSIA: Perak (Tixier 1985).

Cololejeunea ciliatilobula (Schiffn.) Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

Cololejeunea dilatata (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea decliviloba Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1980a).

Cololejeunea dozyana (Sande-Lac.) Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang, Penin-

sular Malaya (Tixier 1980a, 1985; Zhu & So 1998), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea falcata* (Horik.) Benedix**

DISTRIBUTION IN MALAYSIA: Kedah, Pahang (Tixier 1971, 1974; 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea filicaulis* Steph.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1980a).

***Cololejeunea filidens* Benedix**

DISTRIBUTION IN MALAYSIA: Perak, Selangor (Tixier 1985).

***Cololejeunea fisslobula* Herz.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Cololejeunea floccosa* (Lehm. & Lindeb.) Steph.**

DISTRIBUTION IN MALAYSIA: Kedah, Malacca, Negeri Sembilan, Pahang, Penang (Kodama 1955; Kitagawa 1969c; Tixier 1971, 1974; Mizutani 1975, 1978, 1984a; Wolseley *et al.* 1996), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea formosana* Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea fructu-marginata* Tixier**

DISTRIBUTION IN MALAYSIA: Penang (Tixier 1985).

***Cololejeunea georgiana* Tixier**

DISTRIBUTION IN MALAYSIA: Penang (Tixier 1985).

***Cololejeunea gynophthalma* Benedix**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea haskarliana* (Lehm. Lindenb.) Steph.**

DISTRIBUTION IN MALAYSIA: Penang, Perak, Malacca, Negeri Sembilan, Pahang (Kitagawa 1971; Mizutani 1975, 1977, 1978, 1986a; Tixier

1980a, 1985; Wolseley *et al.* 1996; Piippo *et al.* 2002), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea hillebrandii* (Aust.) Steph.**

DISTRIBUTION IN MALAYSIA: Penang, Perak, Pahang (Tixier 1985).

***Cololejeunea hirta* (Steph.) Benedix**

DISTRIBUTION IN MALAYSIA: Perak, Pahang (Tixier 1985).

***Cololejeunea hispidissima* (Steph.) Tixier**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea inflata* Steph.**

DISTRIBUTION IN MALAYSIA: Kedah, Pahang, Malacca (Mizutani 1961, 1975, 1978, 1984a; Tixier 1971, 1974, 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea inflectens* (Mitt.) Benedix**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea javanica* (Steph.) Mizut.**

DISTRIBUTION IN MALAYSIA: Penang (Tixier 1985), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea jelinekii* Steph.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

***Cololejeunea karstenii* (Steph.) Benedix**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

***Cololejeunea kulenensis* Tixier**

DISTRIBUTION IN MALAYSIA: Johore (Tixier 1985).

***Cololejeunea lanciloba* Steph.**

DISTRIBUTION IN MALAYSIA: Johore, Pahang, Penang (Kitagawa 1971; Mizutani 1984b; Tixier 1985), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea lacinulata* Benedix**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Cololejeunea leonidens Benedix

DISTRIBUTION IN MALAYSIA: Pahang, Malacca (Inoue 1967a; Tixier 1971, 1980a; Mizutani 1975, 1977).

Cololejeunea leonidens var. *saccata* Benedix

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea longifolia (Mitt.) Benedix

DISTRIBUTION IN MALAYSIA: Penang (Tixier 1985), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea macounii (Spruce *ex* Underw.)

A. Evans

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea malaccensis Tixier

DISTRIBUTION IN MALAYSIA: Johore (Tixier 1985).

Cololejeunea malayana Tixier

DISTRIBUTION IN MALAYSIA: Pahang, Perak (Tixier 1980a, 1985).

Cololejeunea maritima Tixier

DISTRIBUTION IN MALAYSIA: Perak, Johore (Tixier 1985).

Cololejeunea metzgeriopsis (Goebel) Gradst.

DISTRIBUTION IN MALAYSIA: Pahang, Sabah (Kitagawa 1969c; Tixier 1980a; Akiyama *et al.* 2001), Perak (Gradstein *et al.* 2006).

Cololejeunea minutissima (Sm.) Schiffn.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Schuster 1955).

Cololejeunea mutabilis var. *borneensis* Benedix

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea ocelloides (Horik.) Mizut.

DISTRIBUTION IN MALAYSIA: Malacca (Mizutani 1984a; Zhu & Wang 1992), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea pahangiana Tixier

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

Cololejeunea pakseana Tixier

DISTRIBUTION IN MALAYSIA: Selangor (Tixier 1985).

Cololejeunea papillosa (K. I. Goebel) Mizut.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea peculiaris (Herz.) Benedix

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974).

Cololejeunea peponiformis Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Tixier 1985; Menzel 1988; Frahm *et al.* 1990).

Cololejeunea peraffinis (Schiffn.) Schiffn.

DISTRIBUTION IN MALAYSIA: Malacca, Pahang, Penang (Kodama 1955; Mizutani 1961, 1966, 1975, 1984a; Kitagawa 1969c, 1978; Tixier 1980a), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea perakensis Tixier

DISTRIBUTION IN MALAYSIA: Perak (Tixier 1985).

Cololejeunea planifolia Benedix

DISTRIBUTION IN MALAYSIA: Penang (Tixier 1985).

Cololejeunea planissima (Mitt.) Abey.

DISTRIBUTION IN MALAYSIA: Penang, Perak, Johore (Kitagawa 1971; Tixier 1985), Sabah (Menzel 1988).

Cololejeunea platynura (Spruce) A. Evans

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea pseudofloccosa (Horik.) Benedix

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea pseudoschmidtii Tixier

DISTRIBUTION IN MALAYSIA: Penang (Tixier 1985).

Cololejeunea pseudostipulata Schiffn.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Cololejeunea pusilla Tixier

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

Cololejeunea raduliloba Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Cololejeunea reineckeana Steph.

DISTRIBUTION IN MALAYSIA: Perak (Tixier 1985).

Cololejeunea rosellata Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Tixier 1985).

Cololejeunea obliqua (Nees & Mont.) Schiffn.

DISTRIBUTION IN MALAYSIA: Perak, Penang, Pahang (Tixier 1980a, 1985), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea schmidtii Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea selangorensis Tixier

DISTRIBUTION IN MALAYSIA: Selangor (Tixier 1985).

Cololejeunea serrulata Steph.

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1971).

Cololejeunea setosa Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Cololejeunea shizmizui N. Kitag.

DISTRIBUTION IN MALAYSIA: Kelantan (Kitagawa 1969c; Mizutani 1981a).

Cololejeunea siamensis (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Wolseley *et al.* 1996; Piippo *et al.* 2002), Sabah (Menzel 1988).

Cololejeunea sigmoidea Jovet-Ast & Tixier

DISTRIBUTION IN MALAYSIA: Pahang, Penang (Kitagawa 1969c; Tixier 1971, 1980a).

Cololejeunea sigmoidea var. ***dubia*** Tixier

DISTRIBUTION IN MALAYSIA: Perak (Tixier 1985), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea sphaerodonta Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea stephani Schiffn. ex Benedix

DISTRIBUTION IN MALAYSIA: Kedah, Pahang (Tixier 1974, 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

Cololejeunea stoniana Tixier

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Johore (Tixier 1985; Piippo *et al.* 2002).

Cololejeunea stylosa (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Penang (Tixier 1985; Zhu & Wang 1992).

Cololejeunea tenella Benedix

DISTRIBUTION IN MALAYSIA: Kedah, Penang, Negeri Sembilan, Johore (Tixier 1974, 1985; Wolseley *et al.* 1996).

Cololejeunea thailandensis Tixier

DISTRIBUTION IN MALAYSIA: Penang (Tixier 1985).

Cololejeunea triapiculata (Herz.) Tixier

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971, 1980a, 1985; Mizutani 1975).

Cololejeunea tridentata Tixier

DISTRIBUTION IN MALAYSIA: Johore (Tixier 1985).

***Cololejeunea trichomanis* (Gottsche) Steph.**

DISTRIBUTION IN MALAYSIA: Penang, Kedah, Perak (Hattori 1952b; Kitagawa 1971; Tixier 1974, 1985; Zhu & Wang 1992; Juslén *et al.* 2001; Piippo *et al.* 2002), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea trichomanis* (Gottsche) Steph.
subsp. *cordiflora* (Steph.) Pócs**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Cololejeunea verrucosa* Steph.**

DISTRIBUTION IN MALAYSIA: Malacca (Mizutani 1976a), Sabah (Menzel 1988).

***Cololejeunea wightii* Steph.**

DISTRIBUTION IN MALAYSIA: Pahang, Penang (Kachroo 1970; Kitagawa 1971, 1972; Tixier 1971, 1985; Zhu & So 1999b; Juslén *et al.* 2001; Piippo *et al.* 2002).

***Cololejeunea yulensis* (Steph.) Benedix**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Mizutani 1975), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Colura acroloba* (Mont. ex Steph.) Jovet-Ast**

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Pahang, Selangor (Kitagawa 1969a; Tixier 1971, 1980a; Wolseley *et al.* 1996), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Colura acutifolia* Jovet-Ast**

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1969c).

***Colura ari* (Steph.) Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Colura bisvoluta* Herz. & Jovet-Ast**

DISTRIBUTION IN MALAYSIA: Malacca (Jovet-Ast 1954).

***Colura conica* Goebel**

DISTRIBUTION IN MALAYSIA: Malacca, Negeri Sembilan (Mizutani 1975, 1977), Sabah (Menzel 1988).

***Colura corynephora* (Gottsche, Lindenb. & Nees) Trevis.**

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Johore, Penang (Inoue & Miller 1965; Kitagawa 1969c; Wolseley *et al.* 1996; Zhu & So 1999a), Sarawak, Sabah (Menzel 1988).

***Colura crenulata* Grolle**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Colura cymbalifera* Herz.**

DISTRIBUTION IN MALAYSIA: Malay Peninsula (Jovet-Ast 1954).

***Colura imperfecta* Steph.**

DISTRIBUTION IN MALAYSIA: Malacca, Pahang (Jovet-Ast 1954; Grolle 1966).

***Colura galeata* Jovet-Ast**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Colura karstenii* (K. I. Goebel) Steph.**

DISTRIBUTION IN MALAYSIA: Malacca, Johore (Jovet-Ast 1954).

***Colura leratii* (Steph.) Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Colura ornata* K. I. Goebel**

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Pahang, Penang (Jovet-Ast 1954; Mizutani 1975; Wolseley *et al.* 1996), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Colura pluridentata* Jovet-Ast**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Colura superba* (Mont.) Steph.**

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Colura tenuicornis* (A. Evans) Steph.**

DISTRIBUTION IN MALAYSIA: Pahang, Johore (Jovet-Ast 1954; Mizutani 1961; Ohashi 1975;

Tixier 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Colura verdoornii* Herz. & Jovet-Ast**

DISTRIBUTION IN MALAYSIA: Pahang, Johore (Jovet-Ast 1954; Tixier 1980a).

***Cryptolejeunea inflectens* (Mitt.) Mizut.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Mizutani 1975).

***Dactylophorella muricata* (Gottsche) R. M. Schust.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Diplasiolejeunea cavifolia* Steph.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971, 1980a).

***Diplasiolejeunea incurvata* Jovet-Ast**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Diplasiolejeunea jovet-astiae* Grolle**

DISTRIBUTION IN MALAYSIA: Pahang (Kitagawa 1969c; Tixier 1980a), Sabah (Menzel 1988).

***Diplasiolejeunea neobrachyclada* Hatt.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1980a).

***Diplasiolejeunea longilobula* Herz.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Diplasiolejeunea patelligera* Herz.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea angustifolia* Grolle**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Inoue 1981), Sarawak (Menzel 1988).

***Drepanolejeunea blumei* var. *angulistipa* Herz.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea brunnea* Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea ciliata* Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea cyclops* (Sande Lac.) Grolle & Zhu**

DISTRIBUTION IN MALAYSIA: Selangor (Grolle & Zhu 2000), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea dactylophora* (Gottsche, Lindenb. & Nees) Schiffn.**

DISTRIBUTION IN MALAYSIA: Malacca (Hattori 1952b; Mizutani 1961, 1975, 1977, 1978), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea dentata* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea intermedia* Zwickel**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea laevicornua* Steph.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

***Drepanolejeunea laevicornua* var. *longicornua* Herz.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea malayana* Grolle**

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974).

***Drepanolejeunea micholitzii* Herz.**

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea micholitzii* var. *brevifolia* Herz.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1980a).

***Drepanolejeunea micholitzii* var. *genuine* Herz.**

DISTRIBUTION IN MALAYSIA: Johore (Herzog 1934).

***Drepanolejeunea obliqua* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea obtriangulata* Kodama**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea ocellata* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea pentadactyla* (Mont.) Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea pleiodictya* Herz.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1980a).

***Drepanolejeunea spicata* (Steph) Grolle & R. L. Zhu**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea spinoso-cornuta* Steph.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1980a).

***Drepanolejeunea tenera* K. I. Goebel**

DISTRIBUTION IN MALAYSIA: Kedah, Pahang (Tixier 1971, 1974, 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea tenera* K. I. Goebel fo. *goebelii* Herz.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea tenuis* (Reinw., Blume & Nees) Schiffn.**

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Drepanolejeunea ternatensis* (Gottsche) Steph. var. *ternatensis

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea ternatensis* var. *lancispina* Herz.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Drepanolejeunea teysmanii* Steph.**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1968b), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea thwaitesiana* (Mitt.) Steph.**

DISTRIBUTION IN MALAYSIA: Kedah, Pahang (Tixier 1971, 1974, 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea tricornua* Herz.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea vesiculososa* (Mitt.) Steph.**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, 1968b; Mizutani 1977, 1978; Zhu & So 1999a), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Drepanolejeunea vesiculososa* subsp. *propagulifera* Herz.**

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Pahang (Inoue 1967a; Wolseley *et al.* 1996), Sarawak (Menzel 1988).

***Harpalejeunea filicispis* (Steph.) Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Harpalejeunea kinabalensis* Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Harpalejeunea spinosa* Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Hygrolejeunea crassicaulis (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Gradstein *et al.* 2002).

Lejeunea alata Gottsche

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea albescens (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea anisophylla Mont.

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1971), Negeri Sembilan (Wolseley *et al.* 1996), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea apiculata (Sande Lac.) R. M. Schust.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea cocoes Mitt.

DISTRIBUTION IN MALAYSIA: Sarawak (Mizutani 1963).

Lejeunea contracta Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea dimorpha Kodama

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea discreta Lindenb. *in* Gottsche *et al.*

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea eifrigii Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea exilis (Reinw. *et al.*) Grolle

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Zhu & Grolle 2003), Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea flava (Sw.) Nees

DISTRIBUTION IN MALAYSIA: Pahang (Inoue

1967a; Vaňa & Piippo 1989b; Piippo *et al.* 2002), Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea herzogii Mizut.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea kinabalensis Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea leratii (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea lumbricoides (Nees) Nees

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1980a), Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea luteola (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea micholitzii Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea microloba Tayl.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea mizutanii Grolle

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea pattersonii (Steph.) Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a).

Lejeunea pectinella Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea pilifera Tixier

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

Lejeunea sordida (Nees) Nees

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Lejeunea stephaniana Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea umbilicata (Nees) Spruce

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1980a), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea utriculata (Steph.) Mizut.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lejeunea wightii Lindenb.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lepidolejeunea bidentula (Jack & Steph.)

R. M. Schust.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Wolseley *et al.* 1996; Piippo *et al.* 2002), Penang (Kitagawa 1969c), Pahang (Inoue 1967a), Johore (Piippo 1986b), Sarawak (Piippo 1986b; Menzel 1988), Sabah (Piippo 1986b; Menzel 1988; Frahm *et al.* 1990).

Lepidolejeunea borneensis (Steph.)

R. M. Schust.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Juslén *et al.* 2001; Piippo *et al.* 2002), Sarawak (Menzel 1988).

Lepidolejeunea integristipula (Jack. & Steph.) Schust.

DISTRIBUTION IN MALAYSIA: Sabah (Piippo 1986b; Menzel 1988; Frahm *et al.* 1990).

Leptolejeunea amphiophthalma Zwickel

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974), Sabah (Menzel 1988; Frahm *et al.* 1990).

Leptolejeunea balansae Steph.

DISTRIBUTION IN MALAYSIA: Perak (Kitagawa 1960).

Leptolejeunea borneensis Herz.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Leptolejeunea elliptica (Lehm. & Lindenb.) Schiffn.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Mizutani 1975; Piippo *et al.* 2002), Sabah (Menzel 1988; Frahm *et al.* 1990).

Leptolejeunea elliptica subsp. ***subacuta***

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Wolseley *et al.* 1996).

Leptolejeunea epiphylla (Mitt.) Steph.

DISTRIBUTION IN MALAYSIA: Kedah, Malacca, Negeri Sembilan, Penang (Kitagawa 1969c; Tixier 1974; Mizutani 1975, 1978; Wolseley *et al.* 1996; Zhu & So 1999a), Sabah (Menzel 1988; Frahm *et al.* 1990).

Leptolejeunea foliocola Steph.

DISTRIBUTION IN MALAYSIA: Kedah, Malacca, Pahang (Amakawa 1961; Tixier 1971, 1974; Mizutani 1975).

Leptolejeunea maculata (Mitt.) Schiffn.

DISTRIBUTION IN MALAYSIA: Kedah, Perak, Pahang (Kitagawa 1960; Tixier 1974, 1980a), Negeri Sembilan (Mizutani 1975; Wolseley *et al.* 1996), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Leptolejeunea massartiana Herz. ex Schiffn.

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

Leptolejeunea serrulata Herz.

DISTRIBUTION IN MALAYSIA: Pahang, Penang (Inoue 1967a; Kitagawa 1969c).

Leptolejeunea spinistipula (Mizut.) X. L. He

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Leptolejeunea subacuta Steph.

DISTRIBUTION IN MALAYSIA: Malacca, Pahang (Mizutani 1961; Tixier 1971).

Leptolejeunea subdentata Schiffn. ex Herz.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lopholejeunea vitrea* (Nees) Schiffn.**

DISTRIBUTION IN MALAYSIA: Kedah, Negeri Sembilan, Pahang, Penang, Perak (Kitagawa 1960, 1969c; Tixier 1971, 1974, 1980a; Wolseley *et al.* 1996), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Leucolejeunea decurrents* (Steph.) Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lopholejeunea applanata* (Reinw. *et al.*) Schiffn.**

DISTRIBUTION IN MALAYSIA: Perak, Sarawak (Zhu & Gradstein 2005), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lopholejeunea borneensis* (Steph.) Verd.**

DISTRIBUTION IN MALAYSIA: Pahang, Sarawak (Zhu & Gradstein 2005), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lopholejeunea ceylanica* Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lopholejeunea euploha* (Tayl.) Schiffn.**

DISTRIBUTION IN MALAYSIA: Penang (Hattori 1942c; Kitagawa 1969c; Kachroo 1970; Zhu & Gradstein 2005), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lopholejeunea herzogiana* Steph.**

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974), Pahang, Selangor (Zhu & Gradstein 2005), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lopholejeunea horticola* Schiffn.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Lopholejeunea magna* Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990; Zhu & Gradstein 2005).

***Lopholejeunea nigricans* (Lindenb.) Schiffn.**

DISTRIBUTION IN MALAYSIA: Sarawak (Zhu & Gradstein 2005), Sabah (Menzel 1988; Frahm *et al.* 1990; Zhu & Gradstein 2005).

***Lopholejeunea recurvata* Mizut.**

DISTRIBUTION IN MALAYSIA: Pahang (Zhu & Gradstein 2005).

***Lopholejeunea subfusca* (Nees) Schiffn.**

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Pahang, Penang (Hattori 1942c, 1952b; Mizutani 1961, 1977; Grolle 1965; Inoue & Miller 1965; Kitagawa 1969c; Kachroo 1970; Tixier 1971, 1980a; Wolseley *et al.* 1996; Juslén *et al.* 2001; Piippo *et al.* 2002), Sarawak (Menzel 1988; Zhu & Gradstein 2005), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Lopholejeunea wiltensii* Steph.**

DISTRIBUTION IN MALAYSIA: Pahang, Selangor (Zhu & Gradstein 2005), Sabah (Akiyama *et al.* 2001).

***Lopholejeunea zollingeri* (Steph.) Schiffn.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Mastigolejeunea auriculata* (Wils.) Schiffn.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Kachroo 1970; Mizutani 1977), Penang (Kitagawa 1971), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Mastigolejeunea ligulata* (Lehm. & Lindenb.) Schiff.**

DISTRIBUTION IN MALAYSIA: Penang (Mizutani 1986b; Gradstein *et al.* 2002), Sabah (Menzel 1988).

***Mastigolejeunea recondita* (Steph.) Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Mastigolejeunea repleta* (Tayl.) Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

***Mastigolejeunea truncata* Mizut.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Gradstein *et al.* 2002).

***Mastigolejeunea virens* (Aongstr.) Steph.**

DISTRIBUTION IN MALAYSIA: Penang (Mizutani 1986b).

***Metalejeunea cucullata* (Reinw. et al.) Grolle**

DISTRIBUTION IN MALAYSIA: Kedah, Negeri Sembilan, Pahang (Tixier 1971, 1974, 1980a; Wolseley et al. 1996), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm et al. 1990).

***Microlejeunea constricta* (Grolle) Grolle**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm et al. 1990).

***Microlejeunea gracillima* (Mitt.) Carr. & Pears.**

DISTRIBUTION IN MALAYSIA: Malacca (Miller 1956; Bischler et al. 1961).

***Microlejeunea mammillosa* (Mizut.) Grolle**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm et al. 1990).

***Microlejeunea minutissima* (Mizut.) Grolle**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm et al. 1990).

***Otolejeunea semperiana* (Gottsche ex Steph.) Grolle**

DISTRIBUTION IN MALAYSIA: Kedah, Pahang (Grolle 1985; Tixier 1980a, b; Zhu & So 1997).

***Pictolejeunea mizutani* Grolle**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm et al. 1990).

***Ptychantus striatus* (Lehm. & Lindenb.) Nees**

DISTRIBUTION IN MALAYSIA: Pahang (Mizutani 1961; Kachroo 1970; Tixier 1971; Mizutani 1977), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm et al. 1990).

***Pycnolejeunea arietina* Tixier**

DISTRIBUTION IN MALAYSIA: Kedah (Tixier 1974).

***Pycnolejeunea cavistipula* (Steph.) Mizut.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm et al. 1990).

***Pycnolejeunea contigua* (Nees) Grolle**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm et al. 1990; He 1999).

***Pycnolejeunea flava* (Mitt.) Steph.**

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a).

***Pycnolejeunea grandiocellata* Steph.**

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Wolseley et al. 1996), Sarawak (He 1999).

***Pycnolejeunea sphaeroides* (Sande Lac.)**

J. B. Jack.

DISTRIBUTION IN MALAYSIA: Sabah (He 1999).

***Schiffneriolejeunea cumingiana* (Mont.) Gradst.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Miller 1968; Kachroo 1970), Sarawak (Menzel 1988).

***Schiffneriolejeunea nymanii* (Steph.) Gradst. & Terken.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

***Schiffneriolejeunea pulopenangensis* (Gottsche) Gradst.**

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1969c), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm et al. 1990).

***Schiffneriolejeunea tumida* (Nees) Gradst.**

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1971; Gradstein et al. 2002; Piippo et al. 2002), Pahang (Inoue 1967a).

***Spruceanthus polymorphus* (Sande Lac.) Verd.**

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Kachroo 1970; Mizutani 1977; Wolseley et al. 1996), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm et al. 1990).

***Spruceanthus semirepandus* (Nees) Verd.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Vaňa & Piippo 1989b), Sabah (Menzel 1988; Frahm et al. 1990).

***Spruceanthus sulcatus* (Nees) Gradst.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm et al. 1990).

Stictolejeunea balfourii (Mitt.) E. W. Jones
var. ***balfourii***

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Taxilejeunea albescens Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a).

Taxilejeunea apiculata (Gottsche) Spruce

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

Taxilejeunea compressiuscula Lindenb.

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

Taxilejeunea cuculliflora Steph.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a).

Taxilejeunea luteola (Steph.) Eifrig.

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

Thysananthus aculeatus Herz.

DISTRIBUTION IN MALAYSIA: Pahang (Inoue 1967a, 1968b; Mizutani 1969, 1977), Sabah (Menzel 1988; Frahm *et al.* 1990).

Thysananthus comosus Lindenb. ex Lehm.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Inoue & Miller 1965; Mizutani 1977; Piippo *et al.* 2002).

Thysananthus convolutus Lind.

DISTRIBUTION IN MALAYSIA: Malacca (Grolle 1967; Mizutani 1977), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Thysananthus fruticosus (Lindenb. & Gottsche) Schiffn.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan (Hattori 1942c; Mizutani 1977; Wolseley *et al.* 1996), Sabah (Menzel 1988).

Thysananthus retusus (Reinw., Blume & Nees) B. Thiers & Gradst.

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971).

Thysananthus spathulistipus (Reinw.) Lindenb.

DISTRIBUTION IN MALAYSIA: Kedah, Pahang (Inoue 1965, 1967a; Hattori 1968; Kachroo 1970; Mizutani 1977; Tixer 1971, 1974; Piippo *et al.* 2002), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Thysananthus spathulistipus fo. ***borneensis*** (Herz.) Herz.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Tuyamaella angulistipa (Steph.) R. M. Schust. & Kachr.

DISTRIBUTION IN MALAYSIA: Pahang (Tixer 1971, 1988; Zhu & So 2000), Johore (Zhu & So 2000), Sabah (Menzel 1988; Frahm *et al.* 1990).

Tuyamaella borneensis Tixer

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990; Zhu & So 2000).

Tuyamaella molischii (Schiffn.) Hatt.

DISTRIBUTION IN MALAYSIA: Kedah (Tixer 1974, 1988; Zhu & So 2000).

Tuyamaella serratistipa Hatt.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990; Zhu & So 2000).

Pallaviciniaceae

Jensenia decipiens (Mitt.) Grolle

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

Pallavicinia ambigua Mitt.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Pallavicinia leveiri Schiffn. emend. Grolle

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1971), Pahang (Johnson 1967; Hattori 1968), Sabah (Menzel 1988; Frahm *et al.* 1990).

Pallavicinia lyellii (Hook.) Gray

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Hattori 1952b; Juslén *et al.* 2001; Piippo *et al.* 2002), Sarawak (Menzel 1988).

Podomitrium malaccense (Steph.) Campb.

DISTRIBUTION IN MALAYSIA: Negeri Sembilan, Malacca, Penang (Grolle 1966; Kitagawa 1969c; Wolseley *et al.* 1996; Piippo *et al.* 2002), Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Aneuraceae

Aneura maxima (Schiffn.) Steph.

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Lobatiriccardia coronopus (De Not.) Furuki

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Furuki 2006).

Riccardia crassa (Schwägr.) Carr. & Pears.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Furuki 2006).

Riccardia crassiretis Schiffn.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Furuki 2006).

Riccardia coronopus (De Not. ex Steph.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Riccardia elata (Steph.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Riccardia graeffei (Steph.) Hewson

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Piippo *et al.* 2002; Furuki 2006).

Riccardia heteroclada Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Riccardia jackii Schiffn.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Inoue 1981), Perak (Johnson 1958).

Riccardia lobata Schiffn. var. *lobata*

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Riccardia nobilis (Steph.) Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Riccardia parvula Schiffn.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Perak (Johnson 1958), Pahang (Johnson 1967; Furuki 2006).

Riccardia pinguis (L.) Gray

DISTRIBUTION IN MALAYSIA: Pahang (Johnson 1967).

Riccardia ridleyi Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988), Sabah (Menzel 1988; Frahm *et al.* 1990).

Riccardia scabra Schiffn.

DISTRIBUTION IN MALAYSIA: Perak (Johnson 1958), Sabah (Menzel 1988; Frahm *et al.* 1990).

Riccardia sumatrana Schiffn.

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Ricciocarpos natans (L.) Corda *in* Opiz

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988).

Metzgeriaceae

Metzgeria albinea Spruce

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990). Invalid name according to So (2003a).

Metzgeria consanguinea Schiffn.

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Inoue 1981).

Metzgeria furcata (L.) Corda

DISTRIBUTION IN MALAYSIA: Pahang (Tixier 1971), Sabah (Menzel 1988; Frahm *et al.* 1990).

Metzgeria leptoneura Spruce

DISTRIBUTION IN MALAYSIA: Pahang (Johnson 1967), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Metzgeria lindbergii* Schiffn.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Metzgeria pubescens* var. *kinabaluensis* Kuwah.**

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

***Metzgeria saccata* Mitt.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

***Metzgeria scobina* Mitt.**

DISTRIBUTION IN MALAYSIA: Penang (Kitagawa 1969c), Sarawak (So 2003a).

Mizutaniaceae***Mizutania riccardioides* Furuki & Iwatsuki**

DISTRIBUTION IN MALAYSIA: Johore, Pahang, Sarawak, Sabah (Furuki & Iwatsuki 1989).

Sandeothallaceae***Sandeothallus radiculosus* (Schiffn.) Schust.**

DISTRIBUTION IN MALAYSIA: Sarawak (Menzel 1988).

Aytoniaceae***Asterella limbata* D. G. Long & Grolle**

DISTRIBUTION IN MALAYSIA: Sabah (Long 2006).

***Reboulia hemisphaerica* var. *javanica* Schiffn.**

DISTRIBUTION IN MALAYSIA: Sabah (Menzel 1988; Frahm *et al.* 1990).

Marchantiaceae***Marchantia acaulis* Steph.**

DISTRIBUTION IN MALAYSIA: Perak, Pahang (Tixier 1971; Bischler 1989, Piippo *et al.* 2002), Sarawak, Sabah (Bischler 1989).

***Marchantia emarginata* Reinw., Blume & Nees**

DISTRIBUTION IN MALAYSIA: Selangor (Bischler & Piippo 1991), Sabah (Menzel 1988; Bischler 1989).

***Marchantia geminata* Reinw., Blume & Nees**

DISTRIBUTION IN MALAYSIA: Perak, Pahang, Selangor (Johnson 1958; Bischler 1989).

***Marchantia linearis* Lehm. & Lindenb.**

DISTRIBUTION IN MALAYSIA: Malacca (Ohashi 1975).

***Marchantia polymorpha* L.**

DISTRIBUTION IN MALAYSIA: Perak (Johnson 1958), Sabah (Menzel 1988; Frahm *et al.* 1990).

***Marchantia streimannii* Bischl.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Bischler & Piippo 1991), Sabah (Menzel 1988).

***Marchantia treubii* Schiffn.**

DISTRIBUTION IN MALAYSIA: Borneo (s. loc.) (Bischler 1989).

Dumortieraceae***Dumortiera hirsuta* (Sw.) Reinw. *et al.***

DISTRIBUTION IN MALAYSIA: Pahang (Johnson 1958), Sabah (Akiyama *et al.* 2001).

***Dumortiera hirsuta* var. *nepalensis* (Taylor) Frye & L. Clark**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia, Perak (Evans 1919; Hattori 1942c; Ohashi 1975), Sabah (Menzel 1988; Frahm *et al.* 1990).

Wiesnerellaceae***Wiesnerella denudata* (Mitt.) Steph.**

DISTRIBUTION IN MALAYSIA: Sabah (Akiyama *et al.* 2001).

Ricciaceae***Riccia treubiana* Steph.**

DISTRIBUTION IN MALAYSIA: Peninsular Malaysia (Meijer 1958; Piippo *et al.* 2002).

ACKNOWLEDGEMENTS. I would like to thank Drs Masanobu Higuchi, Hiroyuki Akiyama and Professor Tamás Pócs for contributing their publications for the study, the anonymous reviewers for valuable remarks on the manuscript, and Universiti Sains Malaysia for a research grant.

REFERENCES

- AKIYAMA H., YAMAGUCHI T. & SULEIMAN M. 2001. The bryophyte flora of Kinabalu National Park (Sabah, Malaysia), based on the collections by Japan-Malaysia collaborative expeditions in 1997. *Nature & Human Activities* **6**: 83–99.
- AMAKAWA T. 1961. Notes on Japanese Hepaticae (12). *J. Jap. Bot.* **36**(12): 401–404.
- BISCHLER H. 1989. *Marchantia* L. The Asiatic and Oceanic taxa. *Bryophyt. Biblioth.* **38**: 1–317.
- BISCHLER H., MILLER H. A. & BONNER C. E. B. 1961. Studies in Lejeuneaceae III. A historical account of *Lejeunea cucullata* (Reinwardt, Blume & Nees) and its varieties. *Nova Hedwigia* **3**(4): 445–462.
- BISCHLER H. & PIIPPO S. 1991. Bryophyte flora of the Huon Peninsula, Papua New Guinea. L. *Marchantia* (Marchantiaceae, Hepaticae). *Ann. Bot. Fenn.* **28**: 277–301.
- ENGEL J. J. & MERRILL G. L. S. 2004. Austral Hepaticae. 35. A taxonomic and phylogenetic study of *Telaranea* (Lepidoziaceae), with a monograph of the genus in temperate Australasia and commentary on extra-Australasian taxa. *Fieldiana, Bot., N.S.* **44**: 1–265.
- ENROTH J. 1991. On the phytogeography of Western Melanesian Hepaticae. A literature review. *J. Hattori Bot. Lab.* **70**: 1–42.
- EVANS A. W. 1919. A taxonomic study of *Dumortiera*. *Bull. Torrey Bot. Club* **46**(5): 167–182.
- EVANS A. W. 1934. A revision of the genus *Acromastigum*. *Ann. Bryol. Suppl.* **3**: 1–178.
- FRAHM J.-P., FREY W., KÜRSCHNER H. & MENZEL M. 1990. Mosses and liverworts of Mt. Kinabalu. *Sabah Parks Publication* **12**: 1–91.
- FURUKI T. 2006. Taxonomical studies of the family Aneuraceae (Hepaticae) based on the Philippines collections made by Dr. and Mrs. A. J. Sharp and Dr. Z. Iwatsuki. *J. Hattori Bot. Lab.* **100**: 89–99.
- FURUKI T. & IWATSUKI Z. 1989. *Mizutania riccardiooides*, gen. et sp. nov (Mizutaniaceae, Fam. nov.), a unique liverwort from tropical Asia. *J. Hattori Bot. Lab.* **67**: 291–296.
- GRADSTEIN S. R. 1975. A taxonomic monograph of the genus *Acrolejeunea* (Hepaticae) with an arrangement of the genera of Ptchanthoideae. J. Cramer, Germany.
- GRADSTEIN S. R., WILSON R., ILKIU-BORGES A. L. & HEINRICHS J. 2006. Phylogenetic relationships and neotenic evolution of *Metzgeriopsis* (Lejeuneaceae) based on chloroplast DNA sequences and morphology. *Bot. J. Linn. Soc.* **151**: 293–308.
- GRADSTEIN S. R., XIAO L. H., PIIPPO S. & MIZUTANI M. 2002. Bryophyte flora of the Huon Peninsula, Papua New Guinea. LXVIII. Lejeuneaceae subfamily Ptchanthoideae (Hepaticae). *Acta Bot. Fenn.* **174**: 1–88.
- GROLLE R. 1960. Über *Saccogyna* Dumort. und *Saccognidium*, ein neue lebermoosgattung. *J. Hattori Bot. Lab.* **23**: 41–67.
- GROLLE R. 1964. Ueber neue bemerkenswerte *Acromastigum* Arten. *Österr. Bot. Z.* **111**: 240–256.
- GROLLE R. 1965. Lebermoose aus Neuguinea. 1. *J. Hattori Bot. Lab.* **28**: 43–54.
- GROLLE R. 1966. Lebermoose aus Neuguinea. 2. Zweite Fundliste. *J. Hattori Bot. Lab.* **29**: 70–74.
- GROLLE R. 1967. Lebermoose aus Neuguinea. 6. Dritte Fundliste. *J. Hattori Bot. Lab.* **30**: 113–118.
- GROLLE R. 1971. *Jamesoniella* und Verwandte. *Feddes Repert.* **82**(1): 1–100.
- GROLLE R. 1978. Lebermoose aus Neuguinea. 16. *Acromastigum*. *J. Hattori Bot. Lab.* **44**: 1–15.
- GROLLE R. 1985. Zur Kenntnis der Lebermoosgattung *Otolejeunea*. *Haussknechtia* **2**: 45–56.
- GROLLE R. 1993. Taxonomic results of the BRYOTROP expedition to Zaire and Rwanda 9, Pallaviciniaceae, Haplomitriaceae. *Trop. Bryol.* **8**: 75–82.
- GROLLE R. & PIIPPO S. 1984. Bryophyte flora of the Huon Peninsula, Papua New Guinea. V. Lepidoziaceae subfam. Zoopsoideae and Cephaloziaeae subfam. Schiffnerioideae (Hepaticae). *Ann. Bot. Fenn.* **21**: 299–307.
- GROLLE R. & PIIPPO S. 1990. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXXVII. *Leucolejeunea* (Lejeuneaceae, Hepaticae). *Ann. Bot. Fenn.* **27**: 119–129.
- GROLLE R. & ZHU R. L. 2000. A study of *Drepanolejeunea* subg. *Raphidolejeunea* (Herzog) Grolle & R. L. Zhu, stat. nov. (Hepaticae, Lejeuneaceae) in China with notes on its species elsewhere. *Nova Hedwigia* **70**(3–4): 373–396.
- HATTORI S. 1942a. Notulae de Hepaticis Japonicis (II). *J. Jap. Bot.* **18**: 66–77.
- HATTORI S. 1942b. Notulae ad Hepaticis Japonicis (III). *J. Jap. Bot.* **18**: 469–477.
- HATTORI S. 1942c. Notulae de Hepaticis Japonicis. IV. *J. Jap. Bot.* **18**: 653–660.
- HATTORI S. 1951. On a small collection of Hepaticae from Dutch New Guinea. *Bot. Mag. (Tokyo)* **64**: 112–119.
- HATTORI S. 1952a. Hepaticae of Shikoku and Kyushu, Southern Japan (1). *J. Hattori Bot. Lab.* **7**: 38–61.
- HATTORI S. 1952b. Hepaticae of Shikoku and Kyushu, Southern Japan (2). *J. Hattori Bot. Lab.* **8**: 21–46.
- HATTORI S. 1964. A remarkable *Saccogynidium* (liverwort) from North Borneo. *J. Jap. Bot.* **36**: 206–208.
- HATTORI S. 1966. A remarkable *Balantiopsis* found in tropical Asia. *J. Jap. Bot.* **41**: 129–133.
- HATTORI S. 1968. Hepaticae collected by F. Schmid in Ceylon and Pakistan. *Candollea* **23**(2): 287–294.

- HATTORI S. 1969. Studies of the Asiatic species of the genus *Porella* (Hepaticae). II. *J. Hattori Bot. Lab.* **32**: 319–359.
- HATTORI S. 1972. Notes on Asiatic species of the genus *Frullania*, Hepaticae. I. *J. Hattori Bot. Lab.* **36**: 109–140.
- HATTORI S. 1973. Notes on Asiatic species of the genus *Frullania*, Hepaticae. II. *J. Hattori Bot. Lab.* **37**: 55–84.
- HATTORI S. 1974a. *Frullania* taxa in the Philippine collection made by Dr. & Mrs. A. J. Sharp and Dr. Z. Iwatsuki. *J. Hattori Bot. Lab.* **38**: 169–183.
- HATTORI S. 1974b. Notes on the Asiatic species of the genus *Frullania*, Hepaticae. V. *J. Hattori Bot. Lab.* **38**: 185–221.
- HATTORI S. 1975a. Mr. M. Togashi's collection of *Frullania* (Hepaticae) made in Malay Peninsula. *Bull. Natl. Sci. Mus., Tokyo, B* **1**(3): 109–120.
- HATTORI S. 1975b. Notes on the Asiatic species of the genus *Frullania*, Hepaticae. VIII. *Bull. Natl. Sci. Mus., Tokyo, B* **1**(4): 141–163.
- HATTORI S. 1975c. Notes on the Asiatic species of the genus *Frullania*, Hepaticae. VII. *J. Hattori Bot. Lab.* **39**: 277–313.
- HATTORI S. 1976. Notes on the Asiatic species of the genus *Frullania*, Hepaticae. X. *J. Hattori Bot. Lab.* **40**: 461–507.
- HATTORI S. 1978a. Studies on Asiatic species of the genus *Porella* (Hepaticae). VII. A synopsis of Asiatic Porellaceae. *J. Hattori Bot. Lab.* **44**: 91–120.
- HATTORI S. 1978b. Notes on the Asiatic species of genus the *Frullania*, Hepaticae XI. *J. Hattori Bot. Lab.* **44**: 525–554.
- HATTORI S. 1980. A revision of the subgenus *Homotropantha* of the genus *Frullania*, Hepaticae. *J. Hattori Bot. Lab.* **47**: 165–236.
- HATTORI S. 1981. Notes on the Pacific species of Frullaniaceae (Hepaticae), I. *J. Hattori Bot. Lab.* **49**: 359–383.
- HATTORI S. 1982. A synopsis of New Guinea *Frullania*, Hepaticae. *J. Hattori Bot. Lab.* **51**: 203–271.
- HATTORI S. 1986a. *Frullania* collection made by Mr. H. Akiyama on Seram Island. *J. Hattori Bot. Lab.* **60**: 239–253.
- HATTORI S. 1986b. Notes on Asiatic species of the genus *Frullania*, Hepaticae, XIV. *Bulletin of the National Science Museum, Series B (Botany)* **12**(4): 127–138.
- HATTORI S. & LIN P.-J. 1985. A preliminary study of Chinese *Frullania* flora. *J. Hattori Bot. Lab.* **59**: 123–169.
- HATTORI S. & PIIPPO S. 1986. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XV. *Frullania* (Frullaniaceae, Hepaticae). *Acta Bot. Fenn.* **133**: 25–58.
- HATTORI S. & STREIMANN H. 1985. A collection of *Frulla-*
nia from Papua New Guinea. *J. Hattori Bot. Lab.* **59**: 101–121.
- HATTORI S., THAITHONG O. & KITAGAWA N. 1977. The genus *Frullania* in Thailand. *J. Hattori Bot. Lab.* **43**: 439–457.
- HE X.-L. 1999. A taxonomic monograph of the genus *Pycnolejeunea* (Lejeuneaceae, Hepaticae). *Acta Bot. Fennica* **163**: 1–77.
- HERZOG T. 1934. Studien über *Drepanolejeunea* 2. *Ann. Bryol.* **7**: 57–94.
- INOUE H. 1965. A small collection of liverworts from Isl. Batan, the Philippines. *Hikobia* **4**(4): 272–276.
- INOUE H. 1966. A monograph of the hepatic genus *Syzygiella* Spuce. *J. Hattori Bot. Lab.* **29**: 171–213.
- INOUE H. 1967a. Studies on oil bodies of some Malayan liverworts. *J. Hattori Bot. Lab.* **30**: 54–70.
- INOUE H. 1967b. The new Hepaticas from the Malay Peninsula. *Bull. Natl. Sci. Mus., Tokyo* **10**(2): 155–162.
- INOUE H. 1968a. Taxonomic miscellany on the genera *Plagiochila* and *Syzygiella*. *Bull. Natl. Sci. Mus., Tokyo* **11**(3): 299–307.
- INOUE H. 1968b. Chromosome numbers of some Malayan and Taiwan liverworts. *Bull. Natl. Sci. Mus., Tokyo* **11**(4): 397–403.
- INOUE H. 1969a. Contributions to the knowledge of the Plagiochilaceae of Southeastern Asia. XIII. New species of *Plagiochila* with notes on sect. Abietinae and sect. Peculiares. *J. Hattori Bot. Lab.* **32**: 99–115.
- INOUE H. 1969b. Miscellaneous notes on Hepaticas of Japan (6). *J. Jap. Bot.* **44**(10): 300–303.
- INOUE 1972. Distribution and speciation of certain sections of *Plagiochila*. *J. Hattori Bot. Lab.* **35**: 25–30.
- INOUE H. 1974. Some taxonomic problems in the genus *Plagiochila*. *J. Hattori Bot. Lab.* **38**: 105–109.
- INOUE H. 1979. Contributions to the knowledge of the Plagiochilaceae of Southeastern Asia, XVIII. A review of the genus *Plagiochila* (Dumort.) Dumort. in Ceylon. *J. Hattori Bot. Lab.* **46**: 193–233.
- INOUE H. 1981. Hepaticae of Mt. Fuji, Central Japan. *Mem. Natl. Sci. Mus. (Tokyo)* **14**: 59–74.
- INOUE H. 1982. Studies on Taiwan Hepaticae IV Plagiochilaceae. *Bull. Natl. Sci. Mus., Tokyo, B* **8**(4): 125–144.
- INOUE H. 1984. The genus *Plagiochila* (Dumort.) Dumort. in Southeast Asia. Academia Scientific Book Inc., Tokyo.
- INOUE H. 1985. Studies on Taiwan hepaticae VI. Schistochilaceae. *Bull. Natl. Sci. Mus., Tokyo, B* **11**(4): 109–118.
- INOUE H. 1989. The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. V. *Plagiochila* (Plagiochilaceae, Hepaticae). *Willdenowia* **18**: 555–567.

- INOUE H. & MILLER H. A. 1965. Hepaticae from Kusaie, Caroline Islands. *Bull. Natl. Sci. Mus., Tokyo* **8**(2): 139–160.
- INOUE H. & MILLER H. A. 1967. Some noteworthy liverworts from Ceylon. *Bull. Natl. Sci. Mus., Tokyo* **10**(1): 11–17.
- INOUE H. & MILLER H. A. 1968. Noteworthy Hepaticae from Micronesia. *Bull. Natl. Sci. Mus., Tokyo* **11**(1): 1–12.
- JOHNSON A. 1958. An account of the thallose liverworts found in Malaya. *Malayan Nat. J.* **13**: 52–69 + 1 pl.
- JOHNSON A. 1972. Bryophytes and Filmy ferns from Gunong Benom. *Bull. Brit. Mus. (Nat. Hist.), Zool.* **23**(2): 17–20.
- JOVET-AST S. 1954. Le Genre *Colura*, Hépatiques, Lejeuneacées, Diplasiae. *Rev. Bryol. Lichenol.* **22**: 206–312.
- JUSLÉN A., HE X.-L., PIIPPO S. & TAN B. C. 2001. Oil bodies of Hepaticae from Singapore. *J. Hattori Bot. Lab.* **91**: 265–276.
- KACHROO P. 1970. Hepaticae of India. A taxonomic survey and census IV. Lejeuneaceae. *Bull. Bot. Surv. India* **12**: 226–241.
- KITAGAWA N. 1960. Notes on the hepatic flora on the island of Yakushima 1. *Acta Phytotax. Geobot.* **18**(7): 187–192.
- KITAGAWA N. 1967a. Studies on the Hepaticae of Thailand. I. The Genus *Bazzania*, with general introduction. *J. Hattori Bot. Lab.* **30**: 249–270.
- KITAGAWA N. 1967b. *Marsupellae* of Mt. Kinabalu, North Borneo. *J. Hattori Bot. Lab.* **30**: 199–204.
- KITAGAWA N. 1969a. A new species of *Cololejeunea* (*Chondriolejeunea*) from Malay Peninsula. *Acta Phytotax. Geobot.* **23**(5–6): 184–188.
- KITAGAWA N. 1969b. Studies on the Hepaticae of Thailand. II. *Cephalozia* and *Cephaloziella*. *J. Hattori Bot. Lab.* **32**: 290–306.
- KITAGAWA N. 1969c. A small collection of Hepaticae from Penang, Malaysia. *Bulletin Nara University of Education* **18**(2): 27–43.
- KITAGAWA N. 1970. Lophoziaeae of North Borneo. *J. Hattori Bot. Lab.* **33**: 203–221.
- KITAGAWA N. 1971. A small collection of Hepaticae from Penang, Malaysia – Continued. *Bulletin Nara University of Education* **20**(2): 7–14.
- KITAGAWA N. 1972. Miscellaneous notes on little-known species of Hepaticae, 1–25. *J. Hattori Bot. Lab.* **36**: 444–454.
- KITAGAWA N. 1973. Miscellaneous notes on little-known species of Hepaticae, 26–50. *J. Hattori Bot. Lab.* **37**: 263–273.
- KITAGAWA N. 1977. Studies on Asian species of *Bazzania*, Hepaticae, I. *Bulletin of Nara University of Education* **26**(2): 73–82.
- KITAGAWA N. 1978. The Hepaticae of Thailand collected by Dr. A. Touw (I). *Acta Phytotax. Geobot.* **29**(1–5): 47–64.
- KITAGAWA N. 1979a. Studies on Asian species of *Bazzania*, Hepaticae, II. *Bulletin of Nara University of Education* **28**(2): 71–83.
- KITAGAWA N. 1979b. The Hepaticae of Thailand collected by Dr. A. Touw (II). *Acta Phytotax. Geobot.* **30**(1–3): 31–40.
- KITAGAWA N. 1980. New Guinean species of the genus *Bazzania*, I. *J. Hattori Bot. Lab.* **47**: 127–143.
- KITAGAWA N. 1981 Two interesting species of the Hepaticae from the Philippines. *Misc. Bryol. Lichenol.* **9**(1): 8–10.
- KODAMA T. 1955. Notes of Hepaticae of Kinki District. I. *Tae-niolejeunea* Zwick. *J. Hattori Bot. Lab.* **15**: 103–104.
- LONG D. G. 2006. A revision of the genus *Asterella* P. Beauv. in Eurasia. *Bryophyt. Biblioth.* **63**: 1–299.
- MEIJER W. 1957. Notes on some Malayan species of *Anthoceros* L. (Hepaticae) – II. *J. Hattori Bot. Lab.* **18**: 1–13.
- MEIJER W. 1958. Notes on species of *Riccia* from the Malayan region. *J. Hattori Bot. Lab.* **20**: 107–118.
- MENZEL M. 1988. Annotated catalogue of the Hepaticae and Anthocerotae of Borneo. *J. Hattori Bot. Lab.* **65**: 145–206.
- MILLER H. A. 1956. Cryptogams of Kapingamarangi Atoll, Caroline Islands I: Bryophyta. *Bryologist* **59**(3): 167–173.
- MILLER H. A. 1968. Hepaticae from Truk, Caroline Islands. *Micronesica* **4**: 239–254.
- MIZUTANI M. 1961. A revision of Japanese Lejeuneaceae. *J. Hattori Bot. Lab.* **24**: 115–302.
- MIZUTANI M. 1963. On some Indian species of the family Lejeuneaceae described by W. Mitten. *J. Hattori Bot. Lab.* **26**: 171–184.
- MIZUTANI M. 1966. Supplement to ‘Revision of Japanese Lejeuneaceae’. II. *J. Hattori Bot. Lab.* **29**: 290–293.
- MIZUTANI M. 1967. Studies of Himalayan species of *Bazzania*. *J. Hattori Bot. Lab.* **30**: 71–90.
- MIZUTANI M. 1968. Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium 5. On some flagelliform species of *Lepidozia*. *J. Hattori Bot. Lab.* **31**: 152–158.
- MIZUTANI M. 1969. Lejeuneaceae subfamily Ptychanthoi-deae from Sabah (north Borneo). *J. Hattori Bot. Lab.* **32**: 129–139.
- MIZUTANI M. 1972. Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium 7. Some little known species of subfamily Lejeuneoideae of the Lejeuneaceae. *J. Hattori Bot. Lab.* **35**: 399–411.
- MIZUTANI M. 1974a. On *Kurzia gonyotricha* from Japan. *J. Hattori Bot. Lab.* **6**(8): 146.
- MIZUTANI M. 1974b. Lepidoziaceae, subfamily Lepidozioideae from Sabah (North Borneo). *J. Hattori Bot. Lab.* **38**: 371–385.

- MIZUTANI M. 1975. Epiphyllous species of Lejeuneaceae from the Philippines. *J. Hattori Bot. Lab.* **39**: 255–262.
- MIZUTANI M. 1976a. Studies of little known Asiatic species of Hepaticae in the Stephani Herbarium 9. Some little-known species of the family Lejeuneaceae. *J. Hattori Bot. Lab.* **40**: 441–446.
- MIZUTANI M. 1976b. Lepidoziaceae, subfamily Lepidozioideae from Philippines. *J. Hattori Bot. Lab.* **40**: 447–451.
- MIZUTANI M. 1977. Lejeuneaceae from the Philippines. *J. Hattori Bot. Lab.* **43**: 127–136.
- MIZUTANI M. 1978. Lejeuneaceae from Ishigaki and Iriomote Islands of Ryukyu Archipelago. *J. Hattori Bot. Lab.* **44**: 121–136.
- MIZUTANI M. 1981a. Miscellaneous notes on little known species of Hepaticae. *Hikobia, Suppl.* **1**: 67–72.
- MIZUTANI M. 1981b. Notes on the Lejeuneaceae. 5. Some Asiatic species of the genus *Ceratolejeunea*. *J. Hattori Bot. Lab.* **49**: 305–318.
- MIZUTANI M. 1984a. Notes on the Lejeuneaceae. 8. Japanese species of the subgenus *Taeniolejeunea* of the genus *Cololejeunea*. *J. Hattori Bot. Lab.* **57**: 153–170.
- MIZUTANI M. 1984b. Notes on the Lejeuneaceae. 9. *Cololejeunea lanciloba* and its related species in Japan. *J. Hattori Bot. Lab.* **57**: 427–442.
- MIZUTANI M. 1986a. Notes on the Lejeuneaceae. 11. *Cololejeunea spinosa* and its related species in Japan. *J. Hattori Bot. Lab.* **60**: 439–450.
- MIZUTANI M. 1986b. Notes on the Lejeuneaceae. 12. *Mastigolejeunea humilis* and its related species from Asia. *J. Hattori Bot. Lab.* **61**: 281–297.
- MIZUTANI M. 1988. Notes of the Lejeuneaceae. 14. Asiatic species of the genus *Caudalejeunea*. *J. Hattori Bot. Lab.* **64**: 389–399.
- MIZUTANI M. & CHANG K. C. 1986. A preliminary study of Chinese Lepidoziaceae flora. *J. Hattori Bot. Lab.* **60**: 419–437.
- MOHAMED M. A. H. & TAN B. C. 1988. A checklist of mosses of Peninsular Malaysia and Singapore. *The Bryologist* **91**: 24–44.
- OHASHI H. 1975. Flora of Eastern Himalaya Third Report. *University Museum, University of Tokyo Bulletin* **8**: 206–242.
- PIIPPO S. 1985a. Bryophyte flora of the Huon Peninsula, Papua New Guinea. X. Jackiellaceae, Scapaniaceae, Arnellicaceae and Acrobolbaceae (Hepaticae). *Acta Bot. Fenn.* **131**: 89–97.
- PIIPPO S. 1985b. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XII. Geocalycaceae (Hepaticae). *Acta Bot. Fenn.* **131**: 129–167.
- PIIPPO S. 1985c. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XIII. *Arachniopsis* and *Kurzia* (Lepidoz- iaceae subfam. Lepidozioideae, Hepaticae). *Acta Bot. Fenn.* **131**: 169–179.
- PIIPPO S. 1986a. Bryophytes from Frieda River, East and West Sepik, Provinces, Papua New Guinea. II. Hepaticae (Haplomitriaceae–Frullaniaceae). *Ann. Bot. Fenn.* **23**: 1–10.
- PIIPPO S. 1986b. A monograph of the genera *Lepidolejeunea* and *Luteolejeunea* (Lejeuneaceae, Hepaticae). *Acta Bot. Fenn.* **132**: 1–69.
- PIIPPO S. 1989a. The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. III. Geocalycaceae (Hepaticae). *Willdenowia* **18**: 513–527.
- PIIPPO S. 1989b. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXX. Plagiochilaceae (Hepaticae). *Ann. Bot. Fenn.* **26**: 183–236.
- PIIPPO S., HE X.-L., JUSLÉN A., TAN B. C., MURPHY D. H. & PÓCS T. 2002. Hepatic and hornwort flora of Singapore. *Ann. Bot. Fenn.* **26**: 101–127.
- SCHUSTER R. M. 1955. North American Lejeuneaceae III. Paradoxae: *Cololejeunea*, sectio *minutissimae*. *J. Elisha Mitchell Sci. Soc.* **71**(2): 218–247.
- SO M. L. 2003a. The genus *Metzgeria* in Asia. *J. Hattori Bot. Lab.* **94**: 159–177.
- SO M. L. 2003b. The genus *Schitochila* in Asia. *J. Hattori Bot. Lab.* **93**: 79–100.
- SULEIMAN M., AKIYAMA H. & TAN B. C. 2006. A revised catalogue of mosses reported from Borneo. *J. Hattori Bot. Lab.* **99**: 107–184.
- THIERS B. M. 1993. A monograph of *Pleurozia* (Hepaticae; Pleuroziaceae). *Bryologist* **96**(4): 517–554.
- TIXIER P. 1971. A contribution to the bryological knowledge of Fraser's Hill Station (Malaysia). *Garden's Bulletin Singapore* **25**: 335–353.
- TIXIER P. 1974. Contribution to the bryological knowledge of Malaysia, Part 2. Kedah Peak. *Nat. Hist. Bull. Siam Soc.* **25**: 15–28.
- TIXIER P. 1980a. Contribution to the bryological knowledge of Malaysia III. Cameron Highlands, mosses and epiphyllous liverworts. *Nova Hedwigia* **32**: 377–392.
- TIXIER P. 1980b. Deux nouveaux Genres de Lejeunéacées *Otolejeunea* Grolle & P. Tx. et *Allorgella* P. Tx. *Nova Hedwigia* **32**: 607–622.
- TIXIER P. 1985. Contribution à la Connaissance des Cololejeunoïdeae. *Bryophyt. Biblioth.* **27**: 1–439.
- TIXIER P. 1988. Le domaine lémuro-australasiens Intérêt biogéographique de deux espèces nouvelles. *Nova Hedwigia* **46**(3–4): 373–383.
- VÁŇA J. 1991a. The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. XII. Gymnomitriaceae (Hepaticopsida, Jungermanniales). *Willdenowia* **20**: 167–169.

- VÁÑA J. 1991b. The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. XIII. Jungermanniaceae (Hepaticopsida, Jungermanniales). *Willdenowia* **20**: 171–183.
- VÁÑA J. 1991c. The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. XV. Lophoziaceae (Hepaticae). *Willdenowia* **20**: 199–219.
- VÁÑA J. 1992. The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. XVI. Cephaloziellaceae and Jackiellaceae (Hepaticae). *Willdenowia* **22**: 167–169.
- VÁÑA J. 1993. The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. XVIII. Cephaloziaceae (Hepaticopsida, Jungermanniales). *Willdenowia* **23**: 245–255.
- VÁÑA J. & PIIPPO S. 1989a. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXIX. Jungermanniaceae and Gymnomitriaceae (Hepaticae). *Ann. Bot. Fenn.* **26**: 107–125.
- VÁÑA J. & PIIPPO S. 1989b. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXXI. Cephaloziaceae subfam. Alobielloidea, Cephaloziellaceae, Antheliaceae and Lophoziaceae (Hepaticae). *Ann. Bot. Fenn.* **26**: 263–290.
- VÁÑA J., PIIPPO S. & KOPONEN T. 2005. Bryophyte flora of Hunan Province, China. 6. Jungermanniaceae and Gymnomitriaceae (Hepaticae). *Acta Bot. Fenn.* **178**: 57–78.
- VÁÑA J., SÖDERSTRÖM L., HAGBORG A., VON KONRAT M. & ENGEL J. J. 2010. Early land plants today: taxonomy, systematics and nomenclature of Gymnomitriaceae. *Phytotaxa* **11**: 1–80.
- WOLSELEY P., ELLIS L., HARRINGTON A. & MONCRIEFF C. 1996. Epiphytic cryptogams at Pasoh Forest Reserve, Negeri Sembilan – quantitative and qualitative sampling in logged and unlogged plots. In: S. S. LEE, T. M. DAN, I. D. GAULD & J. BISHOP (eds), *Conservation Management and Development of Forest Resources*, pp. 61–83. Forest Research Institute of Malaysia, Kuala Lumpur.
- YAMADA K. 1979. A revision of Asian Taxa of *Radula*, Hepaticae. *J. Hattori Bot. Lab.* **45**: 201–322.
- YAMADA K. 1984. *Radula campanigera* Mont. New to Taiwan. *Yushania* **1**(2): 45–46.
- YAMADA K. 1989. The bryophytes of Sabah (North Borneo) with special reference to the BRYOTROP transect of Mount Kinabalu. VIII. *Radula* (Radulaceae, Hepaticopsida). *Willdenowia* **19**: 219–236.
- YAMADA K. & PIIPPO, S. 1989. Bryophyte flora of the Huon Peninsula, Papua New Guinea. XXXII. *Radula* (Radulaceae, Hepaticae). *Ann. Bot. Fenn.* **26**: 349–387.
- ZHU R.-L. & GRADSTEIN S. R. 2005. A monograph of the genus *Lopholejeunea* (Hepaticae) in Asia. *Syst. Bot. Monogr.* **74**: 1–98.
- ZHU R.-L. & GROLLE R. 2003. Taxonomy and distribution of *Lejeunea exilis* (Lejeuneaceae, Hepaticae). *Ann. Bot. Fenn.* **40**: 101–106.
- ZHU R.-L. & SO M. L. 1997. A new record of the genus *Otolejeunea* (Hepaticae, Lejeuneaceae) in subtropical China. *Ann. Bot. Fenn.* **34**: 285–289.
- ZHU R.-L. & SO M. L. 1998. Two epiphyllous liverworts, *Cololejeunea dozyana* (Sande Lac.) Schiffn. and *Cololejeunea sigmoidea* Jovet-Ast & Tixier (Hepaticae, Lejeuneaceae), new to Taiwan. *Bot. Bull. Acad. Sin.* **39**: 125–130.
- ZHU R.-L. & SO M. L. 1999a. Additions of Lejeuneaceae taxa to the hepatic flora of Yunnan, China. *Ann. Bot. Fenn.* **36**: 219–229.
- ZHU R.-L. & SO M. L. 1999b. New records of *Cololejeunea* (Lejeuneaceae, Hepaticae) for China and Vietnam. *Bot. Bull. Acad. Sin.* **40**: 165–171.
- ZHU R.-L. & SO M. L. 2000. The genus *Tuyamaella* (Hepaticae, Lejeuneaceae) in China. *Nova Hedwigia* **70**(1–2): 185–192.
- ZHU R.-L., SO M. L. & WANG Y.-F. 2002. The genus *Cheilolejeunea* (Hepaticae, Lejeuneaceae) in China. *Nova Hedwigia* **75**(3–4): 387–408.
- ZHU R.-L. & WANG Y. F. 1992. A preliminary revision of epiphyllous liverworts from Dinghushan. *J. E. China Norm. Univ., Nat. Sci. Ed.* **2**: 90–97.

Received 26 January 2010

APPENDIX

Synopsis of families and genera for Anthocerotaceae and Hepaticae.

The number of taxa in each genus reported from Malaysia is given in brackets following the genus name.

Family **Anthocerotaceae**

- Anthoceros* (2)
- Folioceros* (1)
- Dendroceros* (1)
- Megaceros* (1)
- Phaeoceros* (1)

Family **Haplomitriaceae**

- Haplomitrium* (1)

Family **Treubiaceae**

- Treubia* (1)

Family **Lepicoleaceae**

- Lepicolea* (2)
- Mastigophora* (4)

Family **Herbertaceae**

- Herbertus* (5)

Family **Pseudolepicoleaceae**

- Blepharostoma* (1)
- Pseudolepicolea* (1)
- Temnoma* (1)

Family **Trichocoleaceae**

- Trichocolea* (3)

Family **Lepidoziaceae**

- Acromastigum* (18)
- Bazzania* (53)
- Hygrolembidum* (1)
- Kurzia* (6)
- Lepidozia* (21)
- Mastigopelma* (1)
- Psiloclada* (1)
- Telaranea* (7)
- Zoopsis* (2)

Family **Calypogeiacae**

- Calypogeia* (2)
- Metacalypogeia* (1)
- Mnioloma* (1)

Family **Adelanthaceae**

- Adelanthus* (1)
- Wettsteinia* (1)

Family **Cephaloziaceae**

- Cephalozia* (1)

Iwatsukia (1)*Metahygrobiella* (4)*Nowellia* (3)*Odontoschisma* (4)*Schiffneria* (1)Family **Cephaloziellaceae**

- Cephaloziella* (4)
- Kymatocalyx* (1)

Family **Jackiellaceae**

- Jackiella* (3)

Family **Jungermanniaceae**

- Anomacaulis* (1)
- Jungermannia* (16)
- Nardia* (1)
- Notoscyphus* (2)

Family **Lophoziaaceae**

- Anastrophyllum* (13)
- Andrewsianthus* (6)
- Chandonanthus* (1)
- Cryptochila* (1)
- Denotarisia* (1)
- Gottschelia* (1)
- Jamesoniella* (5)
- Plicanthus* (1)
- Sphenolobopsis* (1)
- Syzygiella* (3)
- Tetralophozia* (1)
- Tritomaria* (1)

Family **Gymnomitriaceae**

- Apomarsupella* (1)
- Gymnomitrium* (2)
- Marsupella* (2)

Family **Scapaniaceae**

- Scapania* (2)

Family **Geocalycaceae**

- Chiloscyphus* (15)
- Conoscyphus* (1)
- Heteroscyphus* (12)
- Lophocolea* (3)
- Saccogynidium* (5)

Family **Arnelliaeae**

- Southbya* (1)

Family **Plagiochilaceae**

- Chiastocaulon* (1)
- Plagiochila* (47)
- Plagichilon* (4)

Family **Acrobolbaceae**

<i>Acrobolbus</i> (1)	<i>Mastigolejeunea</i> (6)
<i>Tylimanthus</i> (1)	<i>Metalejeunea</i> (1)
Family Schistochilaceae	<i>Microlejeunea</i> (4)
<i>Schistochila</i> (7)	<i>Otolejeunea</i> (1)
Family Balantiopsaceae	<i>Pictolejeunea</i> (1)
<i>Balantiopsis</i> (1)	<i>Ptychanthus</i> (1)
<i>Isotachis</i> (1)	<i>Pycnolejeunea</i> (6)
Family Pleuroziaceae	<i>Schiffneriolejeunea</i> (4)
<i>Eopleurozia</i> (1)	<i>Spruceanthus</i> (3)
<i>Pleurozia</i> (5)	<i>Stictolejeunea</i> (1)
Family Radulaceae	<i>Taxilejeunea</i> (5)
<i>Radula</i> (35)	<i>Thysananthus</i> (7)
Family Porellaceae	<i>Tuyamaella</i> (4)
<i>Porella</i> (2)	
Family Frullaniaceae	
<i>Frullania</i> (67)	Family Pallaviciniaceae
Family Jubulaceae	<i>Jensenia</i> (1)
<i>Jubula</i> (1)	<i>Pallavicinia</i> (3)
<i>Neohattoria</i> (1)	<i>Podomitrium</i> (1)
Family Lejeuneaceae	
<i>Acrolejeunea</i> (5)	Family Aneuraceae
<i>Aphanotropis</i> (1)	<i>Aneura</i> (1)
<i>Archilejeunea</i> (1)	<i>Lobatiriccardia</i> (1)
<i>Caudalejeunea</i> (1)	<i>Riccardia</i> (14)
<i>Cephalolejeunea</i> (1)	<i>Ricciocarpos</i> (1)
<i>Ceratolejeunea</i> (7)	
<i>Cheilolejeunea</i> (21)	Family Metzgeriaceae
<i>Cololejeunea</i> (84)	<i>Metzgeria</i> (8)
<i>Colura</i> (17)	
<i>Cryptolejeunea</i> (1)	Family Mizutaniaceae
<i>Dactylophorella</i> (1)	<i>Mizutania</i> (1)
<i>Diplasiolejeunea</i> (6)	
<i>Drepanolejeunea</i> (31)	Family Sandeothallaceae
<i>Harpalejeunea</i> (3)	<i>Sandeothallus</i> (1)
<i>Hygrolejeunea</i> (1)	
<i>Lejeunea</i> (27)	Family Aytoniaceae
<i>Lepidolejeunea</i> (3)	<i>Asterella</i> (1)
<i>Leptolejeunea</i> (14)	<i>Reboulia</i> (1)
<i>Leucolejeunea</i> (1)	
<i>Lopholejeunea</i> (12)	Family Marchantiaceae
	<i>Marchantia</i> (7)
	Family Dumortieraceae
	<i>Dumortiera</i> (2)
	Family Wiesnerellaceae
	<i>Wiesnerella</i> (1)
	Family Ricciaceae
	<i>Riccia</i> (1)