

## A PROVISIONAL CHECKLIST OF THE CONTINENTAL AFRICAN ORCHIDACEAE. 5. VANILLOIDEAE

TOMASZ S. OLSZEWSKI

**Abstract:** A checklist of the vanilloid orchids of continental Africa is provided. 32 species in six genera are listed.

**Key words:** Magnoliophyta, Orchidaceae, Vanilloideae, checklist, continental Africa

Tomasz S. Olszewski, Department of Plant Taxonomy and Nature Conservation, Gdańsk University, Al. Legionów 9, PL-80-441 Gdańsk, Poland; e-mail: tso@univ.gda.pl

### INTRODUCTION

Subfamily Vanilloideae is one of the least numerous taxa of that rank in continental Africa as they make only six genera and 32 species. Alphabetical list of genera examined is given below. *Auxopus* Schltr., *Didymoplexis* Griff., *Epipogium* C. C. Gmel. ex Borkh., *Gastrodia* R. Br., *Nervillia* Comm. ex Gaudich. in Freyc. and *Vanilla* Mill.

### LIST OF GENERA AND SPECIES

Subfamily VANILLOIDEAE (Lindl.) Szlach.

Fragm. Flor. Geobot., Suppl. 3: 48. 1995.

Tribe VANILLEAE Blume

Rumphia 1: 196. 1835.

Subtribe VANILLINAE Lindl.

Gen. Spec. Orchid. Pl.: 429. 1840.

A subtribe consists of five genera (Szlachetko 1995).

*Vanilla* Mill.

Gard. Dict. Abr., ed. 4: 28. 1754.

A genus of about 100 species in the tropics and subtropics of the Old and New World ex-

cluding Australia (la Croix & Cribb 1995; Arenas Soto 2003).

#### 1. *Vanilla africana* Lindl.

J. Linn. Soc., Bot. 6: 137. 1862.

DISTRIBUTION. Guinea, Sierra Leone, Liberia, Ivory Coast, Ghana, Nigeria, Cameroun, C.A.R., Principe, Equatorial Guinea (Rio Muni), Gabon, Congo, D.R.C. (Mayombe, Bas-Congo, Kasai, Forestier Central, Ubangi-Uele) and Tanzania (Durand & Schinz 1895; Rolfe 1896, 1897; Guinea 1946; Portères 1954; Summerhayes 1968; Hall & Bowling 1969; Sanford 1971; Exell 1973; Geerinck 1974, 1984; Hunt 1974; Cribb & Perez-Vera 1975; Perez-Vera 1976; Adam 1982; Tang & Cribb 1983; Cribb & Hunt 1984; Cribb & Fay 1987; Olszewski & Szlachetko 1998; Szlachetko & Olszewski 1998; Aedo *et al.* 1999; Stévert *et al.* 2000; Stévert & de Oliveira 2000; Perez-Vera 2003; Szlachetko *et al.*, in press).

#### — subsp. *africana*

*Vanilla crenulata* Rolfe, J. Linn. Soc., Bot. 32: 477. 1896.

*Vanilla crenata* A. Chev., Expl. Bot. Afr. Occ. Fr.: 624. 1920, *nom nud.*

*Vanilla africana* Lindl. var. *gilletii* (De Wild.) Portères, Bull. Soc. Bot. France 98: 126. 1951.

*Vanilla africana* Lindl. var. *laurentiana* (De Wild.) Portères, Bull. Soc. Bot. France **98**: 126. 1951.

DISTRIBUTION. Guinea, Sierra Leone, Liberia, Ivory Coast, Ghana, Nigeria, Cameroun, Principe, Equatorial Guinea (Rio Muni), Gabon, Congo and D.R.C. (Rolle 1896, 1897; Dandy 1944; Portères 1954; Summerhayes 1968; Hall & Bowling 1969; Exell 1973; Cribb & Perez-Vera 1975; Perez-Vera 1976; Adam 1982; Tang & Cribb 1983; Olszewski & Szlachetko 1998; Szlachetko & Olszewski 1998; Stévert *et al.* 2000; Stévert & de Oliveira 2000; Perez-Vera 2003; Szlachetko *et al.*, in press).

– subsp. *ramosa* (Rolle) Szlach. & Olsz.

Fl. Camer. **34**(1): 286, pl. 101A-F. 1998.

*Vanilla ovalifolia* Rolfe, J. Linn. Soc., Bot. **32**: 457. 1896.

*Vanilla laurentiana* De Wild., Not. Pl. Util. Congo: 327. 1904.

*Vanilla laurentiana* De Wild. var. *gilletii* De Wild., Not. Pl. Util. Congo: 328. 1904.

*Vanilla zanzibarica* Rolfe, Bull. Misc. Inform. Kew **1906**: 116. 1906.

*Vanilla beauchenii* A. Chev., Etud. Fl. Afr. Centr. Fr. **1**: 297. 1913, *nom. nud.*

DISTRIBUTION. Ghana, Nigeria, Cameroun, C.A.R., Equatorial Guinea (Rio Muni), Gabon, Congo, D.R.C. and Tanzania (Rolle 1896, 1897; Guinea 1946; Portères 1954; Summerhayes 1968; Hall & Bowling 1969; Sanford 1971; Hunt 1974; Tang & Cribb 1983; Cribb & Hunt 1984; Cribb & Fay 1987; Olszewski & Szlachetko 1998; Szlachetko & Olszewski 1998; Aedo *et al.* 1999; Szlachetko *et al.*, in press).

– subsp. *cucullata* (Kraenzl. ex Heinr. Braun & K. Schum.) Szlach. & Olsz.

Fl. Camer. **34**(1): 286, pl. 101M-R. 1998.

*Vanilla cucullata* Kraenzl. ex Heinr. Braun & K. Schum., Mitth. Deutsch. Schutzgeb.: 2: 161. 1889.

DISTRIBUTION. Cameroun and ?Equatorial Guinea (Rio Muni) (Durand & Schinz 1895; Rolfe 1896, 1897; Guinea 1946; Portères 1954; Szlachetko & Olszewski 1998).

NOTE. Aedo *et al.* (1999) did not confirm citation from Equatorial Guinea.

## 2. *Vanilla bampsiana* Geerinck

Bull. Jard. Bot. Belg. **52**(3–4): 345, fig. 1. 1982.

DISTRIBUTION. D.R.C. (Forestier Centrale) (Géerinck 1982, 1984).

## 3. *Vanilla chalotii* Finet

Bull. Soc. Bot. France **56**: 102. 1909.

DISTRIBUTION. Gabon (Portères 1954; Szlachetko & Olszewski 1998; Szlachetko *et al.*, in press).

## 4. *Vanilla grandifolia* Lindl.

J. Linn. Soc., Bot. **6**: 138. 1862.

DISTRIBUTION. Principe, Gabon and D.R.C. (Bas-Congo, Forestier-Central) (Durand & Schinz 1895; Rolfe 1896, 1897; Dandy 1944; Portères 1954; Exell 1973; Géerinck 1974, 1984; Szlachetko & Olszewski 1998; Stévert *et al.* 2000; Stévert & de Oliveira 2000; Szlachetko *et al.*, in press).

## 5. *Vanilla hallei* Szlach. & Olsz.

Fl. Camer. **34**(1): 282, pl. 100N-T. 1998.

DISTRIBUTION. Gabon (Szlachetko & Olszewski 1998; Szlachetko *et al.*, in press).

## 6. *Vanilla heterolopha* Summerh.

Bull. Misc. Inform. Kew **1938**(1): 149. 1938.

DISTRIBUTION. Gabon (Summerhayes 1938; Portères 1954; Szlachetko & Olszewski 1998; Szlachetko *et al.*, in press).

## 7. *Vanilla imperialis* Kraenzl.

Notizbl. Bot. Gart. Berlin-Dahlem **4**: 155. 1896.

*Vanilla lujae* De Wild., Belgique Colon. **10**: 28. 1904.

*Vanilla imperialis* Kraenzl. var. *congolensis* De Wild., Rev. Hist. Nat. Appl. **2**: 188. 1921.

*Vanilla grandiflora* Lindl. var. *lujae* (De Wild.)

Geerinck, Bull. Soc. Roy. Bot. Belgique **107**(1): 58, fig. 1–3. 1974.

**DISTRIBUTION.** Sierra Leone, Ivory Coast, Ghana, Cameroun, C.A.R., Equatorial Guinea (Rio Muni); Gabon, Congo, D.R.C. (Kasai, Forestier Central, Ubangi-Uele), Uganda, Tanzania and Angola (Rolfe 1896, 1897; Guinea 1946; Portères 1954; Robyns & Tournay 1955; Jaeger *et al.* 1968; Piers 1968; Summerhayes 1968; Hall & Bowling 1969; Sanford 1971; Geerinck 1974, 1984; Cribb & Perez-Vera 1975; Perez-Vera 1976; Schelpe 1976a; Cribb & Hunt 1984; Cribb & Fay 1987; Szlachetko & Olszewski 1998; Aedo *et al.* 1999; Perez-Vera 2003; Szlachetko *et al.*, in press).

#### 8. *Vanilla nigerica* Rendle

Cat. Talb. Niger Pl.: 108. 1913.

**DISTRIBUTION.** Nigeria, Cameroun and ?Equatorial Guinea (Rio Muni) (Guinea 1946; Portères 1954; Summerhayes 1968; Tang & Cribb 1983).

NOTE. Aedo *et al.* (1999) did not confirm citation from Equatorial Guinea.

#### 9. *Vanilla ochyrae* Szlach. & Olsz.

Fl. Camer. **34**(1): 291, pl. 103F. 1998.

**DISTRIBUTION.** Cameroun (Szlachetko & Olszewski 1998).

#### 10. *Vanilla polylepis* Summerh.

Bot. Mus. Leafl. **14**(9): 219. 1951.

*Vanilla* sp. *sensu* Piers, Orchid. E. Afr.: 82, figs. 27, 28. 1968.

**DISTRIBUTION.** D.C.R. (Haut-Katanga), Kenya, Angola, Zambia, Malawi and Zimbabwe (Summerhayes 1951; Portères 1954; Piers 1968; Geerinck 1974, 1984; Hunt 1974; Schelpe 1976a; Williamson 1977; Cribb & Hunt 1984; la Croix *et al.* 1991; la Croix & Cribb 1995; la Croix & Bell 1998; Szlachetko & Olszewski 1998).

#### 11. *Vanilla roscheri* Rchb.f.

Linnaea **41**: 65. 1877.

**DISTRIBUTION.** Ethiopia, Kenya, Tanzania, Mozambique and R.S.A. (KwaZulu-Natal) (Rolfe 1896,

1897; Portères 1954; Piers 1968; Schelpe 1976b; Cribb & Hunt 1984; Reid 1993; la Croix & Cribb 1995; Bidgood & Cribb 1999; Kurzweil 1999).

NOTE. This species is very closely allied to and possibly conspecific with *V. phalaenopsis* Rchb.f. from the Seychelles and *V. madagascariensis* Rolfe from Madagascar (Cribb & Hunt 1984).

#### 12. *Vanilla sereti* De Wild.

Bull. Jard. Bot. État. **5**: 180. 1916.

*Vanilla tisseranti* Portères, Bull. Soc. Bot. France **98**: 93. 1951.

**DISTRIBUTION.** C.A.R. and D.R.C. (Frontier Central, Ubangi-Uele) (Portères 1954; Geerinck 1974, 1984; Cribb & Fay 1987; Szlachetko & Olszewski 1998).

#### ADDITIONAL SPECIES

#### *Vanilla planifolia* Andrews

Bot. Repos. **8**: t. 538. 1808.

**DISTRIBUTION.** Mexico, Guatemala, Belize, Honduras, Salvador, Costa Rica, Panama and probably also West Indies (Williams 1951).

NOTE. This species is cultivated in many parts of tropical Africa and plants are often found in a more or less naturalized state (Cribb & Hunt 1984).

#### Tribe *NERVILIEAE* Dressler

Lindleyana **5**(2): 124. 1990.

#### Subtribe *NERVILIINAE* Schltr.

Notizbl. Bot. Gart. Berlin-Dahlem **9**: 571. 1926.

A monotypic subtribe (Szlachetko 1995).

#### *Nervilia* Comm. ex Gaudich. *in* Freyc.

Voy. Monde Bot.: t. 35. 1827, & 421. 1829, *nom. conserv.*

*Stellorkis* Thouars, Nouv. Bull. Sci. Soc. Philom. Paris **1**: 317. 1809, *nom. rejic.*

*Apostellis* A. Rich., Monogr. Orchid. Iles de France et de Bourbon: 41. 1828.

*Haplostellis* Endl., Gen. pl. secund. ord. natur. disp.: 219. 1837.

*Pogonia* Juss. sect. *Nervilia* Lindl., Gen. Sp. Orchid. Pl.: 414. 1840.

*Bolborchis* Zoll. & Moritzi in Moritzi, Syst. Verz. Pfl. Zoll.: 89. 1846.

A genus of about 60 species distributed in tropical and subtropical Africa, Asia and Australia (Pettersson 1990b).

### 1. *Nervilia adolphi* Schltr.

Bot. Jahrb. Syst. **53**: 552. 1915.

DISTRIBUTION. Mali, Senegal, Guinea, Ivory Coast, Ghana, Togo, Nigeria, C.A.R., Equatorial Guinea (Bioko), D.R.C. (Bas-Congo, Forestier Central, Bas-Katanga, Haut-Katanga, Ubangi-Uele, Lac Albert, Lacs Edouard et Kivu), Burundi, Rwanda, Uganda, Tanzania, Zambia, Malawi, Mozambique and Zimbabwe (Robyns & Tournay 1955; Hallé & Toilliez 1971; Sanford 1971; Exell 1973; Cribb & Perez-Vera 1975; Perez-Vera 1976, 2003; Williamson 1977; Tang & Cribb 1983; Cribb 1984; Geerinck 1984; Boudet & Lebrun 1986; Cribb & Fay 1987; Berghen 1988; Pettersson 1990b, 1992; la Croix *et al.* 1991; la Croix & Cribb 1995; Geerinck & Arbonnier 1995; Olszewski & Szlachetko 1998; Szlachetko & Olszewski 1998; Aedo *et al.* 1999).

#### – var. *adolphi*

*Nervilia fuerstenbergiana* auct. non Schltr.

DISTRIBUTION. Ivory Coast, Ghana, Nigeria, Equatorial Guinea (Bioko), D.R.C. (Haut-Katanga), Rwanda, Uganda, Tanzania, Zambia, Malawi, Mozambique and Zimbabwe (Cribb 1984; Pettersson 1990b, 1992; la Croix & Cribb 1995; Olszewski & Szlachetko 1998; Szlachetko & Olszewski 1998).

#### – var. *seposita* N. Hallé & Toill.-Gen.

Adansonia, sér. 2, **11**(3): 460. 1971.

*Nervilia adolphi* Schltr. *sensu* Robyns, Fl. Sperm. Parc Nat. Albert **3**: 458. 1955.

DISTRIBUTION. Mali, Senegal, Guinea, Ivory Coast, C.A.R., Equatorial Guinea (Bioko), D.R.C.

(Bas-Congo, Forestier-Central, Ubangi-Uele, Lac Albert, Lacs Edouard et Kivu), Burundi, Uganda and Zambia (Robyns & Tournay 1955; Hallé & Toilliez 1971; Cribb & Perez-Vera 1975; Perez-Vera 1975, 2003; Cribb 1984; Geerinck 1984; Boudet & Lebrun 1986; Cribb & Fay 1987; Berghen 1988; Pettersson 1990b & 1992; la Croix & Cribb 1995; Geerinck & Arbonnier 1996; Olszewski & Szlachetko 1998; Szlachetko & Olszewski 1998).

### 2. *Nervilia ballii* G. Will.

Pl. Syst. Evol. **134**: 66, t. 7. 1980.

*Nervilia* sp. G. Will., Orchid. S. Centr. Afr.: 143, t. 76, fig. 7. 1977 (*Williamson & Drummond 1639*).

*Nervilia purpurata* auct. non (Rchb.f. & Sond.) Schltr.

DISTRIBUTION. Tanzania, Zambia, Malawi, Mozambique and Zimbabwe (Williamson 1980; Cribb 1984; Pettersson 1990b; la Croix *et al.* 1991; la Croix & Cribb 1995).

### 3. *Nervilia bicarinata* (Blume) Schltr.

Bot. Jahrb. Syst. **45**: 405. 1911.

*Pogonia bicarinata* Blume, Coll. Orchid.: 152, pl. 60/1 A-D. 1859.

*Pogonia commersonii* Blume, Coll. Orchid.: 152. 1859.

*Begonia monophylla* Pourr. in DC., Prodr. Reg. Veg. **15**(1): 403. 1864, *nom nud., pro parte*.

*Pogonia umbrosa* Rchb.f., Flora **50**: 102. 1867.

*Pogonia viridiflava* Rchb.f., Flora **65**: 532. 1882.

*Pogonia barklyana* Rchb.f., Gard. Chron. **23**: 597. 1885.

*Nervilia umbrosa* (Rchb.f.) Schltr., Westafr. Kautschuk-Exp.: 274. 1900.

*Nervilia barklyana* (Rchb.f.) Schltr., Bot. Jahrb. Syst. **45**: 404. 1911.

*Nervilia viridiflava* (Rchb.f.) Schltr., Bot. Jahrb. Syst. **45**: 404. 1911.

*Nervilia commersonii* (Blume) Schltr., Bot. Jahrb. Syst. **45**: 405. 1911.

*Pogonia ghindana* Fiori, Nuovo Giorn. Bot. Ital. n.s. **19**: 430, fig. 2. 1912.

*Pogonia chariensis* A. Chev., Et. Fl. Afr. Centr. Fr. **1**: 297. 1913, *nom. nud.*

- Pogonia djalonensis* A. Chev., Expl. Bot. Afr. Occ. Fr. 1: 620. 1920, *nom nud.*
- Nervilia* sp. Robyns, Fl. Sperm. Parc. Nat. Albert 3: 458. 1955 (*Bequaert 5150*).
- Nervilia* sp. near *N. umbrosa* (Rchb.f.) Schltr.: Piers, Orchid. E. Afr.: 299. 1968, *pro parte*.
- Nervilia ghindana* (Fiori) Cufod., Bull. Jard. Bot. Belg. 42(3, Suppl.): 1611. 1972.

DISTRIBUTION. Burkina Faso, Chad, Ethiopia, Senegal, Guinea-Bissau, Guinea, Sierra Leone, Ivory Coast, Ghana, Togo, Benin, Nigeria, Cameroun, C.A.R., Sao Tome, Principe, Equatorial Guinea (Annonbon), Congo, D.R.C. (Bas-Congo, Kasai, Forestier Central, Lac Albert, Lacs Edouard et Kivu, Haut-Katanga), Uganda, Tanzania, Angola, Zambia, Malawi, Zimbabwe, R.S.A. (Kwa-Zulu-Natal, Mpumalanga, Northern Province), Madagascar, Comoros, Mascarene Is., Oman and Yemen (Durand & Schinz 1895; Rolfe 1897; Perrier de la Bathie 1939; Dandy 1944; Guinea 1946; Robyns & Tournay 1955; Piers 1968; Summerhayes 1968; Hallé & Toilliez 1971; Cufodontis 1972; Exell 1973; Williamson 1977; Cribb 1979, 1984; Adam 1982; Brunel & Butzin 1984; Geerinck 1984; Lebrun & Gaston 1986; Cribb & Fay 1987; Pettersson 1990b, 1992; la Croix *et al.* 1991; Lebrun *et al.* 1991; Robbins 1992; Reid 1993; la Croix & Cribb 1995; Geerinck & Arbonnier 1996; Cribb & Thomas 1997; Olszewski & Szlachetko 1998; Szlachetko & Olszewski 1998; Linder & Kurzweil 1999; Du Puy *et al.* 1999; Stévert *et al.* 2000; Stévert & de Oliveira 2000; Perez-Vera 2003).

NOTE. Pettersson (1990b) did not confirm citation from Liberia.

#### 4. *Nervilia crociformis* (Zoll. & Moritzi) Seidenf.

Dansk Bot. Ark. 32(2): 151. 1978.

*Bolborchis crociformis* Zoll. & Moritzi in Moritzi, Syst. Verz. Pfl. Zoll.: 89. 1846.

*Pogonia bollei* Rchb.f., Xenia Orch. 2: 88. 1874.

*Pogonia prainiana* King & Pantl., J. Asiat. Soc. Bengal 65: 129. 1896.

*Nervilia crispata* (Blume) Schltr. ex Kraenzl. in

K. Schum. & Lauterb., Fl. Deutsch. Schutz. Südsee.: 240. 1901.

*Nervilia bollei* (Rchb.f.) Schltr., Bot. Jahrb. Syst. 45: 405. 1911.

*Nervilia humilis* Schltr., Bot. Jahrb. Syst. 53: 551. 1915.

*Nervilia reniformis* Schltr., Bot. Jahrb. Syst. 53: 551. 1915.

*Pogonia fineti* A. Chev., Expl. Bot. Afr. Occ. Fr. 1: 620. 1920, *nom nud.*

*Nervilia francoisii* H. Perrier ex François, Rev. Hort., n. s. 21: 304. 1928 (in adnot.), *nom nud.*

*Nervilia afzelii* Schltr. var. *grandiflora* Summerh., Bull. Misc. Inform. Kew 1936(3): 222. 1936.

*Pogonia crispata* Blume, Ann. Mus. Bot. Lugduno-Batavum: 32. 1949.

*Nervilia bathie* Senghas, Adansonia, sér. 2, 4: 303, fig. 1. 1964.

*Nervilia erosa* P. J. Cribb, Kew Bull. 32(1): 155. 1977.

*Nervilia* sp. G. Will., Orchid. S. Centr. Afr.: 140. 1977 (*Williamson & Drummond 1679*).

*Nervilia prainiana* (King & Pantl.) Seidenf., Dansk Bot. Ark. 32(2): 149, fig. 91. 1978.

*Nervilia afzelii* auct. non Schltr.

DISTRIBUTION. Cape Verde Is., Mali, Ethiopia, Senegal, Guinea, Sierra Leone, Ivory Coast, Ghana, Togo, Nigeria, Cameroun, C.A.R., Congo, D.R.C. (Ubangi-Uele, Lac Albert, Haut-Katanga), Burundi, Tanzania, Zambia, Malawi, Mozambique, Zimbabwe, R.S.A. (Mpumalanga), Swaziland, Madagascar, Mascarene Is., Oman, India, Nepal, Thailand, Indo-China, Malaysia, Indonesia, Philippines, New Guinea and Australia (Summerhayes 1936, 1968; Perrier de la Bathie 1939; Jaeger *et al.* 1968; Hallé & Toilliez 1971; Sanford 1971; Exell 1973; Cribb & Perez-Vera 1975; Perez-Vera 1976, 2003; Cribb 1977; Williamson 1977, 1983; Tang & Cribb 1983; Brunel & Butzin 1984; Cribb 1984; Geerinck 1984; Boudet & Lebrun 1986; Cribb & Fay 1987; Pettersson 1990b, 1992; la Croix *et al.* 1991; Robbins 1992; Hansen & Sunding 1993; Reid 1993; la Croix & Cribb 1995; Cribb & Thomas 1997; Szlachetko & Olszewski 1998; Aedo *et al.* 1999; Linder & Kurzweil 1999; Du Puy *et al.* 1999).

**5. *Nervilia fuerstenbergiana* Schltr.**

Repert. Spec. Nov. Regni Veg. **9**: 331. 1911.

DISTRIBUTION. Sierra Leone, Liberia, Ivory Coast, Ghana, Togo, Nigeria, Cameroun and Equatorial Guinea (Bioko) (Guinea 1946; Summerhayes 1968; Hallé & Toilliez 1971; Cribb & Perez-Vera 1975; Perez-Vera 1976, 2003; Tang & Cribb 1983; Brunel & Butzin 1984; Cribb 1984; Pettersson 1990b; Olszewski & Szlachetko 1998; Szlachetko & Olszewski 1998).

**6. *Nervilia gassneri* Börge Pett.**

Nordic J. Bot. **9**(5): 492. 1990.

*Nervilia gassneri* Börge Pett., Lindleyana **4**: 38. 1989, nom. nud.

*Nervilia adolphii* sensu Stewart *et al.*, Wild Orchid. S. Afr.: 213. 1982, pro parte.

*Nervilia adolphi* auct. non Schltr.

*Nervilia fuerstenbergiana* auct. non Schltr.

DISTRIBUTION. Tanzania, Zambia, Malawi, Zimbabwe and R.S.A. (Northern Province) (Stewart *et al.* 1982; Cribb 1984; Pettersson 1990a-b; Reid 1993; la Croix & Cribb 1995; Linder & Kurzweil 1999).

**7. *Nervilia kotschyi* (Rchb.f.) Schltr.**

Bot. Jahrb. Syst. **45**: 404. 1911.

*Pogonia kotschyi* Rchb.f., Oesterr. Bot. Z. **14**: 338. 1864.

*Nervilia similis* Schltr., Bot. Jahrb. Syst. **53**: 554. 1915.

DISTRIBUTION. Mali, Chad, Sudan, Ethiopia, Senegal, Guinea, Sierra Leone, Ivory Coast, Ghana, Togo, Benin, Nigeria, C.A.R., ?Equatorial Guinea (Rio Muni), D.R.C. (Bas-Katanga, Ubangi-Uele, Haut-Katanga), Uganda, Kenya, Tanzania, Angola, Zambia, Malawi, Mozambique, Zimbabwe, R.S.A. (Mpumalanga, Gauteng, North-West) and Madagascar (Durand & Schinz 1895; Rolfe 1897; Perrier de la Bathie 1939; Guinea 1946; Andrews 1956; Jaeger *et al.* 1968; Summerhayes 1968; Cribb & Perez & Vera 1975; Perez-Vera 1976, 2003; Wickens 1976; Williamson 1977; Tang & Cribb 1983; Cribb 1984; Geerinck

1984; Boudet & Lebrun 1986; Lebrun & Gaston 1986; Cribb & Fay 1987; Hiepko & Scholz 1989; Pettersson 1990a-b, 1992; la Croix *et al.* 1991; Reid 1993; Szlachetko & Olszewski 1998; Linder & Kurzweil 1999; Du Puy *et al.* 1999).

NOTE. Aedo *et al.* (1999) did not confirm citation from Equatorial Guinea.

– var. ***kotschyi***

*Pogonia abyssinica* Chiov., Ann. Bot. (Rome) **9**: 136. 1911.

*Nervilia sakaoae* Jum. & H. Perrier, Ann. Fac. Sci. Marseille **21**(2): 194. 1912.

*Pogonia sakaoae* Moreau, Rev. Gén. Bot. **24**: 98, fig. 11, 1912, nom. nud.

*Nervilia diantha* Schltr., Bot. Jahrb. Syst. **53**: 553. 1915.

*Nervilia abyssinica* (Chiov.) Schltr., Repert. Spec. Nov. Regni Veg. **16**: 356. 1920.

*Nervilia purpurata* auct. non (Rchb.f. & Sond) Schltr.

DISTRIBUTION. Mali, Chad, Sudan, Ethiopia, Senegal, Guinea, Sierra Leone, Ivory Coast, Ghana, Togo, Benin, Nigeria, D.R.C. (Bas-Katanga, Ubangi-Uele, Haut-Katanga), Uganda, Kenya, Tanzania, Zambia, Malawi, Mozambique, Zimbabwe and Madagascar (Perrier de la Bathie 1939; Jaeger *et al.* 1968; Cufodontis 1972; Pettersson 1990b, 1992; la Croix & Cribb 1995; Szlachetko & Olszewski 1998).

– var. ***purpurata*** (Rchb.f. & Sond.) Börge Pett.

Nordic J. Bot. **9**(5): 489. 1990.

*Pogonia purpurata* Rchb.f. & Sond. in Rchb.f., Flora **48**: 184. 1865.

*Nervilia purpurata* (Rchb.f. & Sond.) Schltr. in Warb., Kunene-Samb.-Exped. Baum.: 210. 1903.

*Nervilia dalbergiae* Jum. & H. Perrier, Ann. Fac. Sci. Marseille **21**(2): 196. 1912.

*Pogonia lanceolata* Moreau, Rev. Gén. Bot. **24**: 98, fig. 12. 1912, nom. nud.

DISTRIBUTION. Sudan, Ethiopia, ?Equatorial Guinea (Rio Muni), Tanzania, Angola, Zambia, Malawi, Mozambique, Zimbabwe, R.S.A. (Mpumalanga, Gauteng, North-West) and Madagascar

(Durand & Schinz 1895; Rolfe 1897; Perrier de la Bathie 1939; Guinea 1946; Jaeger *et al.* 1968; Williamson 1977; Cribb 1984; Pettersson 1990a-b; Reid 1993; la Croix & Cribb 1995; Cribb & Thomas 1997; Linder & Kurzweil 1999; Du Puy *et al.* 1999).

NOTE. Aedo *et al.* (1999) did not confirm citation from Equatorial Guinea.

### 8. *Nervilia pectinata* P. J. Cribb

Kew Bull. **32**(1): 153, t. 9. 1977.

*Nervilia* sp. G. Will., Orchid. S. Centr. Afr.: 146. 1977 (*Williamson 2102*).

DISTRIBUTION. Gabon, Tanzania, Zambia, Malawi, Mozambique and Zimbabwe (Cribb 1977; Williamson 1977; Cribb 1984; Pettersson 1990b; la Croix *et al.* 1991; la Croix & Cribb 1995; Szlachetko *et al.*, in press).

### 9. *Nervilia petraea* (Afzel. ex Sw.) Summerh.

Bot. Mus. Leafl. **11**(9): 249. 1945.

*Arethusa petraea* Afzel. ex Sw., Kongl. Vetensk. Acad. Nya Handl. ser. 2, **21**: 230. 1800, *nom. nud.*

*Arethusa petraea* Afzel. ex Sw., Neues J. Bot. **1**(1): 62. 1805.

*Arethusa simplex* Thouars, Orchid. Iles Austr. Afr. tab. gen.: 24. 1822.

*Stellorkis apostellis* Thouars, Orchid. Iles Austr. Afr. tab. gen.: 24. 1822.

*Epidendrum simplex* (Thou.) Spreng., Syst. Veg.: 736. 1826.

*Apostellis ambigua* A. Rich., Monogr. Orchid. Iles de France et de Bourbon: 36. 1828, *nom. illegit.*

*Haplostellis truncata* Lindl., Gen. Sp. Orchid. Pl.: 411. 1840, *nom. illegit.*

*Pogonia simplex* (Thouars) Rchb.f., Xenia Orch. **2**: 92. 1878.

*Pogonia thouarsii* sensu Rolfe, F.T.A. **7**: 187. 1897.

*Nervilia afzelii* Schltr., Bot. Jahrb. Syst. **45**: 402. 1911.

*Nervilia simplex* (Thouars) Schltr., Bot. Jahrb. Syst. **45**: 410. 1911, *pro parte*, excl. syn. *Pogonia thouarsii*.

DISTRIBUTION. ?Guinea, Sierra Leone, Ivory Coast, Ghana, Nigeria, Cameroun, C.A.R., Gabon,

Congo, D.R.C. (Bas-Congo, Ubangi-Uele, Haut-Katanga); Uganda, Kenya, Tanzania, Zambia, Malawi, Mozambique, Zimbabwe, Madagascar and Mascarene Is. (Durand & Schinz 1895; Rolfe 1897; Perrier de la Bathie 1939; Summerhayes 1945; Jaeger *et al.* 1968; Summerhayes 1968; Hallé & Toilliez 1971; Perez-Vera 1976, 2003; Williamson 1977; Adam 1982; Tang & Cribb 1983; Geerinck 1984; Cribb & Fay 1987; Pettersson 1990b, 1992; la Croix *et al.* 1991; Arbonnier & Geerinck 1993; la Croix & Cribb 1995; Szlachetko & Olszewski 1998; Du Puy *et al.* 1999).

NOTE. Pettersson (1990b) did not confirm citation from Guinea.

### 10. *Nervilia renchiana* (Rchb.f.) Schltr.

Bot. Jahrb. Syst. **45**: 404. 1911.

*Pogonia renchiana* Rchb.f., Bot. Zeitung **39**(28): 449. 1881.

*Nervilia insolata* Jum. & H. Perrier, Ann. Fac. Sci. Marseille **21**: 192. 1912.

*Nervilia grandiflora* Schltr., Ann. Transvaal Mus. **10**: 241. 1924.

*Nervilia natalensis* Schelpe, Orchid. Rev. **74**: 394. 1966.

*Nervilia* sp. G. Will., Orchid. S. Centr. Afr.: 143, fig. 77/10. 1977 (*Drummond 5417*).

*Nervilia purpurata* sensu Stewart *et al.*, Wild. Orchid. S. Afr.: 214. 1982, *pro parte*, only pl. 32.2., col. phot.

*Nervilia umbrosa* sensu Schelpe, J. S. African Bot. **42**(4): 391. 1976.

DISTRIBUTION. Burkina Faso, Chad, D.R.C. (Lacs Edouard et Kivu), Burundi, Tanzania, Angola, Zambia, Malawi, Mozambique, Zimbabwe, R.S.A. (KwaZulu-Natal) and Madagascar (Durand & Schinz 1895; Perrier de la Bathie 1939; Schelpe 1976b; Williamson 1977; Stewart *et al.* 1982; Cribb 1984; Geerinck 1984; Lebrun & Gaston 1986; Pettersson 1990b, 1992; la Croix *et al.* 1991; Lebrun *et al.* 1991; Reid 1993; la Croix & Cribb 1995; Kurzweil & Linder 1999; Du Puy *et al.* 1999).

11. *Nervilia shirensis* (Rolfe) Schltr.

Bot. Jahrb. Syst. 45: 403. 1911.

*Pogonia shirensis* Rolfe, F.T.A. 7: 187. 1897.

*Pogonia buchananii* Rolfe, F.T.A. 7: 187. 1897.

*Nervilia buchananii* (Rolfe) Schltr., Bot. Jahrb. Syst. 45: 403. 1911.

*Nervilia umbrosa* auct. non (Rchb.f.) Schltr.

DISTRIBUTION. Chad, C.A.R., D.R.C. (Haut-Katanga), Burundi, Tanzania, Angola, Zambia, Malawi, Mozambique and Zimbabwe (Rolfe 1897; Lebrun *et al.* 1972; Schelpe 1976a; Williamson 1977; Cribb 1984; Geerinck 1984; Cribb & Fay 1987; Pettersson 1990b, 1992; la Croix *et al.* 1991; la Croix & Cribb 1995).

12. *Nervilia stolziana* Schltr.

Bot. Jahrb. Syst. 53: 550. 1915.

*Nervilia fuerstenbergiana* auct. non. Schltr.

DISTRIBUTION. D.R.C. (Haut-Katanga), Tanzania, Zambia, Malawi and Mozambique (Williamson 1977; Cribb 1984; Geerinck 1984; Pettersson 1990b, 1992; la Croix *et al.* 1991; la Croix & Cribb 1995).

13. *Nervilia subintegra* Summerh.

Bull. Misc. Inform. Kew 1938(1): 150. 1938.

*Nervilia toillieziae* N. Hallé & Toill.-Gen., Adansonia, sér. 2, 11(3): 455. 1971.

*Nervilia* sp. aff. *reniformis* Schltr. var. *afzelii* Schltr.: Jaeger *et al.*, Adansonia, sér. 2, 8(3): 303. 1968.

DISTRIBUTION. Sudan, Guinea, Sierra Leone, Ivory Coast, Ghana, Togo, Cameroun, C.A.R. and D.R.C. (Bas-Congo) (Summerhayes 1938; Jaeger *et al.* 1968; Hallé & Toilliez 1971; Cribb & Perez-Vera 1975; Perez-Vera 1976, 2003; Adam 1982; Cribb & Fay 1987; Pettersson 1990b, 1992; Szlachetko & Olszewski 1998).

Tribe *GASTRODIEAE* Lindl.

Coll. Bot. App. 1826.

Subtribe *GASTRODIINAE* Lindl.

Gen. Spec. Orchid. Pl.: 383. 1840.

A small subtribe of six genera (Szlachetko 1995).

*Auxopus* Schltr.

Westafr. Kautsch. Exped.: 275. 1901.

A genus of three species, two in continental Africa and one in Madagascar (Hunt 1984c).

1. *Auxopus kamerunensis* Schltr.

Bot. Jahrb. Syst. 38: 4, fig. 2. 1905.

DISTRIBUTION. Liberia, Ivory Coast, Ghana, Nigeria, Cameroun, C.A.R. and ?Equatorial Guinea (Rio Muni) (Guinea 1946; Summerhayes 1968; Cribb & Perez-Vera 1975; Perez-Vera 1976, 2003; Tang & Cribb 1983; Cribb & Fay 1987; Szlachetko & Olszewski 1998).

NOTE. Aedo *et al.* (1999) did not confirm citation from Equatorial Guinea.

2. *Aauxopus macranthus* Summerh.

Kew Bull. 6(3): 467. 1952.

*Auxopus kamerunensis* Schltr. var. *grandiflora* Summerh., Bull. Misc. Inform. Kew 1936(3): 222. 1936.

DISTRIBUTION. Ivory Coast, Ghana, Nigeria, Cameroun, D.R.C. (Kasai) and Uganda (Summerhayes 1936, 1952, 1968; Perez-Vera 1976, 2003; Tang & Cribb 1983; Geerinck 1984; Hunt 1984c; Szlachetko & Olszewski 1998).

*Didymoplexis* Griff.

Calcutta J. Nat. Hist. 4. 383, t. 17. 1844.

*Apetalon* Wight, Ic. Pl. Ind. Or. 5: 22, t. 1758. 1851.

A genus of about 20 species, mostly Asiatic, with one in tropical and South Africa and one in Madagascar (la Croix & Cribb 1995).

1. *Didymoplexis africana* Summerh.

Kew Bull. 6(3): 465. 1952.

DISTRIBUTION. ?Ghana, ?Sao Tome, D.R.C. (Bas-Congo), Tanzania, Malawi, Mozambique and Zimbabwe (Summerhayes 1952; Geerinck 1984; Hunt 1984b; la Croix *et al.* 1991; la Croix & Cribb

1995; Szlachetko & Olszewski 1998; Stévert & de Oliveira 2000).

NOTE. Stévert & de Oliveira (2000) cited cf. *Didymoplexis africana* from São Tome.

## 2. *Didymoplexis verrucosa* J. L. Stewart & Hennessy

Amer. Orchid Soc. Bull. **49**: 841. 1980.

DISTRIBUTION. R.S.A. (KwaZulu-Natal) (Stewart *et al.* 1982; Reid 1993; Linder 1999a).

## *Gastrodia* R.Br.

Prod. Fl. Nov. Holl.: 330. 1810.

The number of the species in the genus is uncertain and varies from 17 to 31. They are distributed from Africa and Madagascar to eastern Siberia, Japan, Australia, New Zealand and the Pacific Islands (Szlachetko & Olszewski 1998).

### 1. *Gastrodia africana* Kraenzl.

Bot. Jahrb. Syst. **28**: 179. 1900.

DISTRIBUTION. Cameroun and ?Equatorial Guinea (Rio Muni) (Guinea 1946; Szlachetko & Olszewski 1998).

NOTE. Aedo *et al.* (1999) did not confirm citation from Equatorial Guinea.

### 2. *Gastrodia sesamoides* R. Br.

Prod. Fl. Nov. Holl.: 330. 1810.

DISTRIBUTION. R.S.A. (W Cape) and Australia (Lewis 1950; Stewart *et al.* 1982; Reid 1993; Linder 1999b).

NOTE. This species was introduced from Australia (Linder 1999b).

## Tribe *EPIPOGIEAE* Parl.

Fl. Ital. **3**: 388. 1858.

### Subtribe *EPIPOGIINAE* Schltr.

Notizbl. Bot. Gart. Berlin-Dahlem **9**: 571. 1926.

A monotypic subtribe (Szlachetko 1995).

## *Epipogium* C. C. Gmel. ex Borkh.

Tent. Disp. Pl. German.: 139. 1792.

The genus of two species, one in temperate Eurasia and one in the Old World tropics (la Croix & Cribb 1995).

### 1. *Epipogium roseum* (D. Don.) Lindl.

J. Linn. Soc., Bot. **1**: 177. 1857.

*Limodorum roseum* D. Don., Prodr. Fl. Nepal.: 30. 1825.

*Epipogium nutans* Rchb.f., Bonplandia **5**: 36. 1857.

*Epipogium africanum* Schltr., Bot. Jahrb. Syst. **45**: 399. 1911.

DISTRIBUTION. Ghana, Nigeria, Cameroun, C.A.R., Equatorial Guinea (Bioko, Annobon, Rio Muni), D.R.C. (Forestier-Central), Uganda, Kenya, Angola, Malawi, Indo-Malaysia to Australia and Pacific Islands (Durand & Schinz 1895; Rolfe 1897; Guinea 1946; Robyns & Tournay 1955; Piers 1968; Summerhayes 1968; Sanford 1971; Exell 1973; Schelpe 1976a; Geerinck 1984; Hunt 1984a; Cribb & Fay 1987; la Croix *et al.* 1991; la Croix & Cribb 1995; Olszewski & Szlachetko 1998; Szlachetko & Olszewski 1998; Aedo *et al.* 1999).

ACKNOWLEDGEMENTS: This work was financed by grant BW 11BO-5-0213-4 (University of Gdańsk).

## REFERENCES

- ADAM J. G. 1982. Flore descriptive des Monts Nimba (Côte d'Ivoire, Guinée, Libéria). **5**. CNRS, Paris.
- AEDO C., TELLERIA T. & VELAYOS M. 1999. Bases documentales para la flora de Guinea Ecuatorial. Plantas vasculares y hongos. Real Jardín Botánico, Madrid.
- ANDREWS F. W. 1956. The flowering plants of the Sudan. **3**. (Compositae-Gramineae). T. Buncle & Co, Arbroath.
- ARBONNIER M. & GEERINCK D. 1993. Contribution à l'étude des Orchidaceae du Burundi (première partie). Belg. J. Bot. **126**(2): 253–261.
- ARENAS SOTO M. A. 2003. *Vanilla*. Distribution. In: A. M. PRIDGEON, P. J. CRIBB, M. W. CHASE, F. N. RASMUSSEN (eds), *Genera Orchidacearum. Volume 3. Orchidoideae (Part 2), Vanilloideae*, p. 321. Oxford University Press, Oxford-New York.

- BERGHEN C., VAN DEN 1988. Monocotylédones et Ptéridophytes. **9**. Monocotylédones: Agavacées à Orchidacées. In: J. BERHAUT (ed.), *Flore Illustrée du Sénégal*, pp. 1–522. Gouvernement du Sénégal, Ministère de la Protection de la Nature, Direction des Eaux et Forêts, Dakar.
- BIDGOOD S. & CRIBB P. 1999. *Vanilla* (Orchidaceae) newly reported from Ethiopia. *Kew Bull.* **54**(2): 378.
- BOUDET G. & LEBRUN J. P. 1986. Catalogue des plantes vasculaires du Mali. *Etudes Synthèses Inst. Élevage Méd. Vétérin. Trop.* **16**: 1–480.
- BRUNEL J. F. & BUTZIN F. 1984. Orchidaceae. In: J. F. BRUNEL, P. HIEPKO & H. SCHOLZ (eds), *Flore analytique du Togo. Phanérogame*, pp. 664–681. GTZ, Eschborn.
- CRIBB P. J. 1977. New orchids from South Central Africa. *Kew Bull.* **32**(1): 137–187.
- CRIBB P. J. 1979. The orchids of Arabia. *Kew Bull.* **34**(4): 321–340.
- CRIBB P. J. 1984. Orchidaceae. **2**. In: R. M. POLHILL (ed.), *Flora of Tropical East Africa*, pp. 237–411. Balkema, Rotterdam.
- CRIBB P. J. & PEREZ-VERA F. 1975. A contribution to the study of the Orchidaceae of the Côte d'Ivoire. *Adansonia*, sér. **2** **15**(2): 199–214.
- CRIBB P. J. & HUNT P. F. 1984. *Vanilla*. In: R. M. POLHILL (ed.), *Flora of Tropical East Africa, Orchidaceae*. **2**: 258–263. Balkema, Rotterdam.
- CRIBB P. J. & FAY J. M. 1987. Orchids of the Central African Republic – a provisional checklist. *Kew Bull.* **42**(3): 711–737.
- CRIBB P. J. & THOMAS S. 1997. Orchidaceae. In: S. EDWARDS, S. DEMISSEW & I. HEDBERG (eds), *Flora of Ethiopia and Eritrea*. **6**: 193–307. The National Herbarium, Biology Department, Science Faculty, Addis Ababa University, & The Department of Systematic Botany, Uppsala University, Addis Ababa–Uppsala.
- CUFODONTIS G. 1972. Enumeratio Plantarum Aethiopiae Spermatophyta. **2**. *Bull. Jard. Bot. Belg.* **42**(3, Suppl.): 653–1657.
- DANDY J. E. 1944. Orchidaceae. In: A. W. EXELL et al. (eds), *Catalogue of the Vascular Plants of S. Tomé (with Principe and Annobon)*, pp. 313–336. British Museum of Natural History, London.
- DU PUY D., BOSSER J., CRIBB P., HERMANS J. & HERMANS C. 1999. The orchids of Madagascar: annotated checklist. Royal Botanic Gardens, Kew.
- DURAND TH. & SCHINZ H. 1895. Conspectus Florae Africæ ou enumeration des plantes d'Afrique. **5**. Monocotyledoneæ et Gymnospermeæ. Jardin Botanique de l'état, Bruxelles.
- EXELL A. W. 1973. Angiosperms of the islands of the Gulf of Guinea (Fernando Po, Principe, S. Tomé, and Annobon). *Bull. Brit. Mus. (Nat. Hist.)*, Bot. **4**(8): 325–411.
- GEERINCK D. 1974. Notes taxonomiques sur des Orchidacées d'Afrique centrale, I: *Vanilla* Mill. *Bull. Soc. Roy. Bot. Belgique* **107**(1): 53–60.
- GEERINCK D. 1982. Notes taxonomiques sur des Orchidées d'Afrique centrale. IX. *Bull. Jard. Bot. Belg.* **52**(3–4): 341–347.
- GEERINCK D. 1984. Orchidaceæ. **1**. In: P. BAMPS (ed.), *Flore d'Afrique Centrale (Zaire – Rwanda – Burundi)*, pp. 1–296. Jardin Botanique National de Belgique, Meise.
- GEERINCK D. & ARBONNIER M. 1996. Contribution a l'étude des Orchidacées du Burundi (deuxième partie). *Belg. J. Bot.* **129**(1): 66–70.
- GUINEA LÓPEZ E. 1946. Ensayo geobotánico de la Guinea continental Española. Dirección de Agricultura de los Territorios Españoles del Golfo de Guinea, Madrid.
- HALL J. B. & BOWLING J. C. 1969. Field key to the epiphytic orchids of Ghana based on characters of shoots and infructescences. *Adansonia*, sér. 2, **9**(1): 139–155.
- HALLÉ N. & TOILLIEZ J. 1971. Le genre *Nervilia* (Orchidacées) en Côte-d'Ivoire. *Adansonia*, sér. 2 **11**(3): 443–461.
- HANSEN A. & SUNDING P. 1993. Flora of Macaronesia. Checklist of vascular plants. 4 rev. ed. *Sommerfeltia* **17**: 1–295.
- HIEPKO P. & SCHOLZ H. 1989. Additions et corrections a la "Flore analytique du Togo". *Bull. Mus. Natl. Hist. Nat.*, Sér. 4, sect. B, **11**(4): 433–446.
- HUNT P. F. 1974. African Orchids XXXIII. *Kew Bull.* **29**(2): 425–426.
- HUNT P. F. 1984a. *Epipogium*. In: R. M. POLHILL (ed.), *Flora of Tropical East Africa, Orchidaceae*. **2**: 238–240. Balkema, Rotterdam.
- HUNT P. F. 1984b. *Didymoplexis*. In: R. M. POLHILL (ed.), *Flora of Tropical East Africa, Orchidaceae*. **2**: 263–265. Balkema, Rotterdam.
- HUNT P. F. 1984c. *Auxopus*. In: R. M. POLHILL (ed.), *Flora of Tropical East Africa, Orchidaceae*. **2**: 265–267. Balkema, Rotterdam.
- JAEGER P., HALLÉ N. & ADAM J. G. 1968. Contribution a l'étude des orchidées des Monts Loma (Sierra Leone). *Adansonia*, sér. 2 **8**(3): 265–310.
- KURZWEIL H. 1999. *Vanilla*. In: H. P. LINDER & H. KURZWEIL, *Orchids of South Africa*. pp. 350–351. A. A. Balkema, Rotterdam.
- LA CROIX I. F. & CRIBB P. J. 1995. Orchidaceæ. **1**. In: G. V. POPE (ed.), *Flora Zambesiaca*. **11**: 1–320. Flora Zambesiaca Managing Committee, London.
- LA CROIX I. F. & BELL S. 1998. *Vanilla polylepis*. Orchidaceæ. *Curtis's Bot. Mag.* **15**(3): 169–174.
- LA CROIX I. F., LA CROIX E. A. S. & LA CROIX T. M. 1991. Orchids of Malawi. Balkema, Rotterdam.

- LEBRUN J. P., AUDRU J., GASTON A. & MOSNIER M. 1972. Catalogue des plantes vasculaires du Tschad méridional. *Étude Bot. Inst. Élevage Méd. Vétérin. Pays Trop.* **1**: 1–289.
- LEBRUN J. P. & GASTON A. 1986. Troisième supplément au "Catalogue des plantes vasculaires du Tschad méridional". *Bull. Soc. Bot. Fr., Lett. Bot.* **133**(4/5): 387–392.
- LEBRUN J. P., TOUTAIN B., GASTON A. & BOUDET G. 1991. Catalogue des plants vasculaires du Burkina Faso. *Etudes Synthèses Inst. Élevage Méd. Vétérin. Pays Trop.* **40**: 1–347.
- LEWIS G. J. 1950. Orchidaceae. In: R. S. ADAMSON & T. M. SALTER (eds), *Flora of the Cape Peninsula*, pp. 265–309. Juta & Co., Ltd., Cape Town and Johannesburg.
- LINDER H. P. 1999a. *Didymoplexis*. In: H. P. LINDER & H. KURZWEIL, *Orchids of South Africa*. pp. 351–352. A. A. Balkema, Rotterdam.
- LINDER H. P. 1999b. *Gastrodia*. In: H. P. LINDER & H. KURZWEIL, *Orchids of South Africa*. pp. 352–354. A. A. Balkema, Rotterdam.
- LINDER H. P. & KURZWEIL H. 1999. *Orchids of South Africa*. A. A. Balkema, Rotterdam.
- OLSZEWSKI T. S. & SZLACHETKO D. L. 1998. A provisional checklist of the orchids of Equatorial Guinea. *Fragm. Flor. Geobot.* **43**(1): 13–38.
- PÉREZ-VERA F. 1976. Notice sur une mise à jour de l'inventaire des espèces et des genres des Orchidées de la Côte-d'Ivoire. *Boissiera* **24**b: 551–557.
- PÉREZ-VERA F. 2003. Les Orchidées de Côte-d'Ivoire. Collection Parthénope, éditions Biotope, Mèze.
- PERRIER DE LA BATHIE H. 1939. Orchidées. **1**. In: H. HUMBERT (ed.), *Flore de Madagascar (Plantes vasculaires)*. pp. 1–477. Imprimerie officielle, Tananarive.
- PETTERSSON B. 1990a. Studies in the genus *Nervilia* (Orchidaceae). *Nordic J. Bot.* **9**(5): 487–497.
- PETTERSSON B. 1990b. The genus *Nervilia* (Orchidaceae) in Africa and the Arabian peninsula. Uppsala University, Uppsala.
- PETTERSSON B. 1992. *Nervilia* Comm. ex Gaud.-Beaupré. In: P. BAMPS (ed.), *Flore d'Afrique Centrale (Zaire – Rwanda – Burundi)*, *Orchidaceae*. **2**: 741–748. Jardin Botanique National de Belgique, Meise.
- PIERS F. 1968. *Orchids of East Africa*. J. Cramer, London.
- PORTÈRES R. 1954. Le genre *Vanilla* et ses espèces. In: G. BOURIQUET (ed.), *Le Vanillier et La Vanille*. *Encycl. Biol.* **46**: 94–290.
- REID C. 1993. Orchidaceae. In: T. A. ARNOLD & B. C. DE WET (eds), *Plants of Southern Africa: names and distribution*. *Mem. Bot. Surv. S. Africa* **62**: 194–209.
- ROBBINS S. 1992. Additional records of Orchidaceae for the flora of Arabia. *Kew Bull.* **47**(4): 721–724.
- ROBYNS W. & TOURNAY R. 1955. Flore des Spermatophytes du Parc National Albert. **3**. – Monocotylées. Institut des Parcs Nationaux du Congo Belge, Bruxelles.
- ROLFE R. A. 1896. A revision of the genus *Vanilla*. *J. Linn. Soc., Bot.* **32**: 439–478.
- ROLFE R. A. 1897. Orchidaceae. In: W. T. THISELTON-DYER (ed.), *Flora of Tropical Africa*. **7**: 1–595. Reeve, London.
- SANFORD W. W. 1971. The orchid flora of Equatorial Guinea in relation to that of West Africa. *Mitt. Bot. Staatssamml. München*. **10**: 287–298.
- SCHELPE E. A. C. L. E. 1976a. A provisional check-list of the Orchidaceae of Angola. *J. S. African Bot.* **42**(4): 383–388.
- SCHELPE E. A. C. L. E. 1976b. A provisional check-list of the Orchidaceae of Mozambique. *J. S. African Bot.* **42**(4): 389–393.
- STÉVART T. & DE OLIVEIRA F. 2000. Guide des Orchidées de São Tomé et Príncipe / Guia de Orchídeas São Tomé e Príncipe. ECOFAC, São Tomé.
- STÉVART T., GEERINCK D., LEJOLY J. 2000. Liste des Orchidaceae de São-Tomé et Príncipe. *Acta Bot. Gallica* **147**(2): 165–172.
- STEWART J., LINDER H. P., SCHELPE E. A. & HALL A. V. 1982. Wild orchids of Southern Africa. Macmillan South Africa (Publishers) (Pty) Ltd, Johannesburg.
- SUMMERHAYES V. S. 1936. African Orchids VIII. *Bull. Misc. Inform. Kew* **1936**(3): 221–233.
- SUMMERHAYES V. S. 1938. African Orchids X. *Bull. Misc. Inform. Kew* **1938**(1): 141–153.
- SUMMERHAYES V. S. 1945. African Orchids XV. *Bot. Mus. Leafl.* **11**(9): 249–260.
- SUMMERHAYES V. S. 1951. New orchids from Africa. *Bot. Mus. Leafl.* **14**(9): 215–239.
- SUMMERHAYES V. S. 1952. African Orchids XX. *Kew Bull.* **6**(3): 461–475.
- SUMMERHAYES V. S. 1968a. Orchidaceae. In: J. HUTCHINSON & J. M. DALZIEL (eds), *Flora of West Tropical Africa*. Ed. 2., **3**(2): 180–276. Crown Agents, London.
- SZLACHETKO D. L. 1995. *Systema Orchidalium*. *Fragm. Flor. Geobot.*, *Suppl. 3*: 1–152.
- SZLACHETKO D. L. & OLSZEWSKI T. S. 1998. Orchidaceae. **1**. In : B. SATABIE & P. MORAT (eds), *Flore du Cameroun*. **34**(1): 1–320. MINREST, Yaoundé.
- SZLACHETKO D. L., SAWICKA M. & KRAS-LAPIŃSKA M. Orchidacées. **1**. In: P. MORAT (ed.), *Flore du Gabon*. Museum National d'Histoire Naturelle, Paris. (in press).
- TANG C. Z. & CRIBB P. J. 1983. Check-list of Nigerian orchids.

- In: L. B. SEGERBÄCK, *Orchids of Nigeria*, pp. 103–109. Balkema, Rotterdam.
- WICKENS G. E. 1976. The flora of Jebel Marra (Sudan Republic) and its geographical affinities. *Kew Bull. Add. Ser. 5*: 1–368.
- WILLIAMS L. O. 1951. The Orchidaceae of Mexico. *Ceiba* 2(1–4): 1–321.
- WILLIAMSON G. 1977. The orchids of South Central Africa. J. M. Dent & Sons Ltd., London.
- WILLIAMSON G. 1980. Contribution to the orchid flora of South Central Africa. *Pl. Syst. Evol.* **134**: 53–77.
- WILLIAMSON G. 1983. Studies in Orchidaceae from Southern Africa. *J. S. African Bot.* **49**(4): 445–449.

Received 15 April 2004